

TSU Node publications. 2022

- [1] T. Supatashvili, M. Eliashvili and G. Tsitsishvili, “On the Wilson loops in 2D tight-binding models,”
PoS **Regio2021**, 021 (2022) doi:10.22323/1.412.0021
- [2] T. Supatashvili, M. Eliashvili and G. Tsitsishvili, “Group structure of Wilson loops in 2D tight-binding models with 2-band and 4-band energy spectra,”
Int. J. Mod. Phys. B **36**, no.28, 2250197 (2022) doi:10.1142/S0217979222501971 [arXiv:2108.06510 [cond-mat.mes-hall]].
- [3] T. Supatashvili, “Bogomolny equations from the Pseudoanalytic Functions Viewpoint,”
PoS **Regio2020**, 015 (2021) doi:10.22323/1.394.0015
- [4] R. Beradze and M. Gogberashvili, “LIGO signals from mirror world,”
PoS **Regio2021** (2022), 029 doi:10.22323/1.412.0029
- [5] M. Gogberashvili, “Fixing cosmological constant on the event horizon,”
Eur. Phys. J. C **82** (2022) no.11, 1049 doi:10.1140/epjc/s10052-022-11033-1
- [6] M. Gogberashvili, “Algebraical Entropy and Arrow of Time,”
Entropy **24** (2022), 1522 doi:10.3390/e24111522 [arXiv:2211.00501 [physics.gen-ph]].
- [7] M. Gogberashvili, “Towards an information description of space-time,”
Found. Phys. **52** (2022), 74 doi:10.1007/s10701-022-00594-6 [arXiv:2208.13738 [physics.gen-ph]].
- [8] M. Gogberashvili, “Symmetries of the entropy balance condition for the universe,”
PoS **Regio2021** (2022), 017 doi:10.22323/1.412.0017
- [9] M. Gogberashvili, “(2 + 1)-Maxwell Equations in Split Quaternions,”
MDPI Physics **4** (2022) no.1, 329-363 doi:10.3390/physics4010023
- [10] M. Gogberashvili and B. Modrekiladze, “Probing the Information-Probabilistic Description,”
Int. J. Theor. Phys. **61** (2022) no.5, 149 doi:10.1007/s10773-022-05129-3 [arXiv:2105.05034 [gr-qc]].
- [11] S. Karanth, ..., M. Tabidze, *et al.* [JEDI], “First Search for Axion-Like Particles in a Storage Ring Using a Polarized Deuteron Beam,” [arXiv:2208.07293 [hep-ex]].

- [12] M. Abuladze, R. Hetzel, J. Kasper, R. Shnidze and A. Stahl, “Study of Prompt Gamma emission in $^{12}\text{C}(p, p'\gamma)\text{C}^{12}$ nuclear reactions close to a Bragg Peak,” PoS **Regio2021** (2022), 033 doi:10.22323/1.412.0033
- [13] G. Lavrelashvili and J. L. Lehnert, “Scalar lumps with two horizons,” Phys. Rev. D **105** (2022) no.2, 024051 doi:10.1103/PhysRevD.105.024051 [arXiv:2109.04180 [gr-qc]].
- [14] G. Papalashvili *et al.* [KM3NeT], “The KM3NeT project and Tier2 computing at Tbilisi State University,” PoS **Regio2021** (2022), 006 doi:10.22323/1.412.0006
- [15] S. Aiello, ..., G. Papalashvili, ..., R. Shnidze *et al.* [KM3NeT], “The KM3NeT multi-PMT optical module,” JINST **17** (2022) no.07, P07038 doi:10.1088/1748-0221/17/07/P07038 [arXiv:2203.10048 [astro-ph.IM]].
- [16] S. Aiello, ..., G. Papalashvili, ..., R. Shnidze *et al.* [KM3NeT], “Nanobeacon: A time calibration device for the KM3NeT neutrino telescope,” Nucl. Instrum. Meth. A **1040** (2022), 167132 doi:10.1016/j.nima.2022.167132 [arXiv:2111.00223 [astro-ph.IM]].
- [17] S. Aiello, ..., G. Papalashvili, ..., R. Shnidze *et al.* [KM3NeT], “Implementation and first results of the KM3NeT real-time core-collapse supernova neutrino search,” Eur. Phys. J. C **82** (2022) no.4, 317 doi:10.1140/epjc/s10052-022-10137-y [arXiv:2109.05890 [astro-ph.HE]].
- [18] S. Aiello, ..., G. Papalashvili, ..., R. Shnidze *et al.* [KM3NeT and JUNO], “Combined sensitivity of JUNO and KM3NeT/ORCA to the neutrino mass ordering,” JHEP **03** (2022), 055 doi:10.1007/JHEP03(2022)055 [arXiv:2108.06293 [hep-ex]].
- [19] S. Aiello, ..., G. Papalashvili, ..., R. Shnidze *et al.* [KM3NeT], “Determining the neutrino mass ordering and oscillation parameters with KM3NeT/ORCA,”
- [20] T. Zakareishvili, “Charmonium production in pp collisions at the LHC,” PoS **Regio2021**, 004 (2022) doi:10.22323/1.412.0004
- [21] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], “Study of $\text{B}_c^+ \rightarrow \text{J}/\psi\text{D}_s^+$ and $\text{B}_c^+ \rightarrow \text{J}/\psi\text{D}_s^{*+}$ decays in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” JHEP **08**, 087 (2022) doi:10.1007/JHEP08(2022)087 [arXiv:2203.01808 [hep-ex]].
- [22] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], “Search for neutral long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced

- hadronic jets in the ATLAS calorimeter,” JHEP **06**, 005 (2022) doi:10.1007/JHEP06(2022)005 [arXiv:2203.01009 [hep-ex]].
- [23] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for events with a pair of displaced vertices from long-lived neutral particles decaying into hadronic jets in the ATLAS muon spectrometer in pp collisions at $\sqrt{s}=13$ TeV,” Phys. Rev. D **106**, no.3, 032005 (2022) doi:10.1103/PhysRevD.106.032005 [arXiv:2203.00587 [hep-ex]].
- [24] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Measurements of jet observables sensitive to b-quark fragmentation in tt^- events at the LHC with the ATLAS detector,” Phys. Rev. D **106**, no.3, 032008 (2022) doi:10.1103/PhysRevD.106.032008 [arXiv:2202.13901 [hep-ex]].
- [25] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Measurements of differential cross-sections in top-quark pair events with a high transverse momentum top quark and limits on beyond the Standard Model contributions to top-quark pair production with the ATLAS detector at $\sqrt{s} = 13$ TeV,” JHEP **06**, 063 (2022) doi:10.1007/JHEP06(2022)063 [arXiv:2202.12134 [hep-ex]].
- [26] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Measurement of the polarisation of single top quarks and antiquarks produced in the t-channel at $\sqrt{s} = 13$ TeV and bounds on the tWb dipole operator from the ATLAS experiment,” JHEP **11**, 040 (2022) doi:10.1007/JHEP11(2022)040 [arXiv:2202.11382 [hep-ex]].
- [27] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for invisible Higgs-boson decays in events with vector-boson fusion signatures using 139 fb^{-1} of proton-proton data recorded by the ATLAS experiment,” JHEP **08**, 104 (2022) doi:10.1007/JHEP08(2022)104 [arXiv:2202.07953 [hep-ex]].
- [28] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for resonant pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” Phys. Rev. D **105**, no.9, 092002 (2022) doi:10.1103/PhysRevD.105.092002 [arXiv:2202.07288 [hep-ex]].
- [29] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for type-III seesaw heavy leptons in leptonic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” Eur. Phys. J. C **82**, no.11, 988 (2022) doi:10.1140/epjc/s10052-022-10785-0 [arXiv:2202.02039 [hep-ex]].
- [30] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Two-particle Bose–Einstein correlations in pp collisions at $\sqrt{s} = 13$ TeV measured with the ATLAS detector at the LHC,” Eur. Phys. J. C **82**, no.7, 608 (2022) doi:10.1140/epjc/s10052-022-10472-0 [arXiv:2202.02218 [hep-ex]].

- [31] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurements of the Higgs boson inclusive and differential fiducial cross-sections in the diphoton decay channel with pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," JHEP **08**, 027 (2022) doi:10.1007/JHEP08(2022)027 [arXiv:2202.00487 [hep-ex]].
- [32] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Observation of WWW Production in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector," Phys. Rev. Lett. **129**, no.6, 061803 (2022) doi:10.1103/PhysRevLett.129.061803 [arXiv:2201.13045 [hep-ex]].
- [33] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Direct constraint on the Higgs-charm coupling from a search for Higgs boson decays into charm quarks with the ATLAS detector," Eur. Phys. J. C **82**, 717 (2022) doi:10.1140/epjc/s10052-022-10588-3 [arXiv:2201.11428 [hep-ex]].
- [34] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurements of Higgs boson production cross-sections in the $H \rightarrow \tau^+\tau^-$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," JHEP **08**, 175 (2022) doi:10.1007/JHEP08(2022)175 [arXiv:2201.08269 [hep-ex]].
- [35] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for single production of a vectorlike T quark decaying into a Higgs boson and top quark with fully hadronic final states using the ATLAS detector," Phys. Rev. D **105**, no.9, 092012 (2022) doi:10.1103/PhysRevD.105.092012 [arXiv:2201.07045 [hep-ex]].
- [36] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for long-lived charginos based on a disappearing-track signature using 136 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," Eur. Phys. J. C **82**, no.7, 606 (2022) doi:10.1140/epjc/s10052-022-10489-5 [arXiv:2201.02472 [hep-ex]].
- [37] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for Higgs boson pair production in the two bottom quarks plus two photons final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," Phys. Rev. D **106**, no.5, 052001 (2022) doi:10.1103/PhysRevD.106.052001 [arXiv:2112.11876 [hep-ex]].
- [38] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV," Eur. Phys. J. C **82**, no.5, 438 (2022) doi:10.1140/epjc/s10052-022-10217-z [arXiv:2112.11266 [hep-ex]].
- [39] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Modelling and computational improvements to the simulation of single vector-boson plus jet processes for the ATLAS experiment," JHEP **08**, 089 (2022) doi:10.1007/JHEP08(2022)089 [arXiv:2112.09588 [hep-ex]].

- [40] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "A search for an unexpected asymmetry in the production of $e+\mu^-$ and $e-\mu^+$ pairs in proton–proton collisions recorded by the ATLAS detector at $\sqrt{s}=13$ TeV," *Phys. Lett. B* **830**, 137106 (2022) doi:10.1016/j.physletb.2022.137106 [arXiv:2112.08090 [hep-ex]].
- [41] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," *Eur. Phys. J. C* **82**, no.4, 334 (2022) doi:10.1140/epjc/s10052-022-10182-7 [arXiv:2112.01302 [hep-ex]].
- [42] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $\sqrt{s} = 13$ TeV with the ATLAS detector," *Phys. Lett. B* **829**, 137066 (2022) doi:10.1016/j.physletb.2022.137066 [arXiv:2111.08372 [hep-ex]].
- [43] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Constraints on Higgs boson production with large transverse momentum using $H \rightarrow b\bar{b}$ decays in the ATLAS detector," *Phys. Rev. D* **105**, no.9, 092003 (2022) doi:10.1103/PhysRevD.105.092003 [arXiv:2111.08340 [hep-ex]].
- [44] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurements of azimuthal anisotropies of jet production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector," *Phys. Rev. C* **105**, no.6, 064903 (2022) doi:10.1103/PhysRevC.105.064903 [arXiv:2111.06606 [nucl-ex]].
- [45] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurement of Higgs boson decay into b -quarks in associated production with a top-quark pair in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," *JHEP* **06**, 097 (2022) doi:10.1007/JHEP06(2022)097 [arXiv:2111.06712 [hep-ex]].
- [46] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV," *JHEP* **03**, 041 (2022) doi:10.1007/JHEP03(2022)041 [arXiv:2110.13673 [hep-ex]].
- [47] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurement of the energy asymmetry in $t\bar{t}j$ production at 13 TeV with the ATLAS experiment and interpretation in the SMEFT framework," *Eur. Phys. J. C* **82**, no.4, 374 (2022) doi:10.1140/epjc/s10052-022-10101-w [arXiv:2110.05453 [hep-ex]].
- [48] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for Higgs boson decays into a pair of pseudoscalar particles in the $b\bar{b}\mu\mu$ final state with the ATLAS detector in pp collisions at $\sqrt{s}=13$ TeV," *Phys. Rev. D* **105**, no.1, 012006 (2022) doi:10.1103/PhysRevD.105.012006 [arXiv:2110.00313 [hep-ex]].

- [49] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Constraints on Higgs boson properties using $WW^*(\rightarrow e\nu\mu\nu)jj$ production in 36.1 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector," *Eur. Phys. J. C* **82**, no.7, 622 (2022) doi:10.1140/epjc/s10052-022-10366-1 [arXiv:2109.13808 [hep-ex]].
- [50] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector," *Eur. Phys. J. C* **82**, no.1, 95 (2022) doi:10.1140/epjc/s10052-021-09843-w [arXiv:2109.10627 [hep-ex]].
- [51] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," *JHEP* **01**, 063 (2022) doi:10.1007/JHEP01(2022)063 [arXiv:2109.02447 [hep-ex]].
- [52] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Operation and performance of the ATLAS semiconductor tracker in LHC Run 2," *JINST* **17**, no.01, P01013 (2022) doi:10.1088/1748-0221/17/01/P01013 [arXiv:2109.02591 [physics.ins-det]].
- [53] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "AtlFast3: the next generation of fast simulation in ATLAS," *Comput. Softw. Big Sci.* **6**, 7 (2022) doi:10.1007/s41781-021-00079-7 [arXiv:2109.02551 [hep-ex]].
- [54] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector," *Eur. Phys. J. C* **82**, no.2, 105 (2022) doi:10.1140/epjc/s10052-021-09878-z [arXiv:2109.00925 [hep-ex]].
- [55] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurement of the nuclear modification factor for muons from charm and bottom hadrons in Pb+Pb collisions at 5.02 TeV with the ATLAS detector," *Phys. Lett. B* **829**, 137077 (2022) doi:10.1016/j.physletb.2022.137077 [arXiv:2109.00411 [nucl-ex]].
- [56] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for heavy particles in the b -tagged dijet mass distribution with additional b -tagged jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment," *Phys. Rev. D* **105**, no.1, 012001 (2022) doi:10.1103/PhysRevD.105.012001 [arXiv:2108.09059 [hep-ex]].
- [57] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^\pm \rightarrow \tau^\pm(\rightarrow \pi^\pm\nu_\tau)\nu_\tau$ events in Run 2 data," *Eur. Phys. J. C* **82**, no.3, 223 (2022) doi:10.1140/epjc/s10052-022-10117-2 [arXiv:2108.09043 [hep-ex]].

- [58] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2," *Eur. Phys. J. C* **82**, no.3, 206 (2022) doi:10.1140/epjc/s10052-021-09920-0 [arXiv:2107.02485 [hep-ex]].
- [59] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for new phenomena in three- or four-lepton events in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," *Phys. Lett. B* **824**, 136832 (2022) doi:10.1016/j.physletb.2021.136832 [arXiv:2107.00404 [hep-ex]].
- [60] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for lepton-flavor-violation in Z -boson decays with τ -leptons with the ATLAS detector," *Phys. Rev. Lett.* **127**, 271801 (2022) doi:10.1103/PhysRevLett.127.271801 [arXiv:2105.12491 [hep-ex]].
- [61] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Performance of the ATLAS Level-1 topological trigger in Run 2," *Eur. Phys. J. C* **82**, no.1, 7 (2022) doi:10.1140/epjc/s10052-021-09807-0 [arXiv:2105.01416 [hep-ex]].
- [62] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Emulating the impact of additional proton-proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events," *Comput. Softw. Big Sci.* **6**, no.1, 3 (2022) doi:10.1007/s41781-021-00062-2 [arXiv:2102.09495 [hep-ex]].