

## YerPhi-YSU-IRPhE node

- [1] D. Consoli, F. Fucito, J. F. Morales and R. Poghossian, “CFT description of BH’s and ECO’s: QNMs, superradiance, echoes and tidal responses,”  
[arXiv:2206.09437 [hep-th]].
- [2] H. Poghosyan and R. Poghossian, “RG flows between  $W_3$  minimal models,” PoS **Regio2021** (2022), 039  
doi:10.22323/1.412.0039
- [3] H. Poghosyan and R. Poghossian, “RG flow between  $W_3$  minimal models by perturbation and domain wall approaches,” JHEP **08** (2022), 307  
doi:10.1007/JHEP08(2022)307
- [4] Z. S. Gevorkian, L. S. Petrosyan, and T. V. Shahbazyan, “Light absorption by weakly rough metal surfaces”, Phys. Rev. B **106**(2022), 205302  
doi.org/10.1103/PhysRevB.106.205302
- [5] Z. S. Gevorkian, “Universal Hall conductivity in graphene Maxwell fish-eye quantum dot”, Physica E **138**, 115103  
doi.org/10.1016/j.physe.2021.115103
- [6] M. Y. Avetisyan and R. L. Mkrtchyan, “On refined Chern-Simons/topological string duality for classical gauge groups,” JHEP **11** (2022), 097  
doi:10.1007/JHEP11(2022)097
- [7] M. Y. Avetisyan and R. L. Mkrtchyan, “Uniqueness of universal dimensions and configurations of points and lines,” Geometriae Dedicata **216** (2022), 1-16  
doi:10.1142/S0218216522500146
- [8] M. Y. Avetisyan and R. L. Mkrtchyan, “On linear resolvability of universal quantum dimensions,” J. Knot Theor. Ramifications **31** (2022) no.02, 2250014  
doi:10.1142/S0218216522500146
- [9] M. Avetisyan, “Vogel’s Universality and its Applications,” [arXiv:2207.04302 [math-ph]].
- [10] M. Avetisyan, “Paving a path from the refined Chern-Simons to the topological strings,” PoS **Regio2021** (2022), 042  
doi:10.22323/1.412.0042
- [11] M. Davtyan, Z. Gevorkian and A. Nersessian, “Integrable isotropic profiles for polarized light,”

[arXiv:2210.00452 [physics.optics]].

- [12] M. Davtyan, “The role of symmetrical inhomogeneity in problems of electromagnetic wave propagation,”  
[arXiv:2208.13449 [physics.optics]].
- [13] M. Davtyan, “Maxwell fish eye and Luneburg profiles for polarized light,” PoS **Regio2021** (2022), 011  
doi:10.22323/1.412.0011
- [14] M. Karapetyan, “Commutator of higher spin gauge transformation,” PoS **Regio2021** (2022), 043  
doi:10.22323/1.412.0043
- [15] E. Khastyan, “Supersymmetric extensions of oscillator- and Coulomb-like systems,” PoS **Regio2021** (2022), 010  
doi:10.22323/1.412.0010
- [16] E. Khastyan, S. Krivonos and A. Nersessian, “Euler top and freedom in supersymmetrization of one-dimensional mechanics,” Phys. Lett. A **452** (2022), 128442  
doi:10.1016/j.physleta.2022.128442 [arXiv:2204.12975 [hep-th]].
- [17] E. Khastyan, S. Krivonos and A. Nersessian, “Kähler geometry for  $\text{su}(1,N-M)$  superconformal mechanics,” Phys. Rev. D **105** (2022) no.2, 025007  
doi:10.1103/PhysRevD.105.025007
- [18] H. Arian Zad, A. Zoshki, N. Ananikian, M. Jaščur “Tomonaga–Luttinger Spin Liquid and Kosterlitz–Thouless Transition in the Spin-1/2 Branched Chains: The Study of Topological Phase Transition”, Materials **15**(2022)No. 12, 4183  
doi.org/10.3390/ma15124183
- [19] H. A. Zad, A. Zoshki, N. Ananikian, M. Jaščur, “Robust quantum entanglement and teleportation in the tertapartite spin-1/2 square clusters: Theoretical study on the effect of a cyclic four-spin exchange”  
Journal of Magnetism and Magnetic Materials **559**(2022) 169533
- [20] Fadwa Benabdallah, Saeed Haddadi, Hamid Arian Zad, Mohammad Reza Pourkarimi, Mohammed Daoud, Nerses Ananikian “Pairwise quantum criteria and teleportation in a spin square complex”  
Sci. Reports **12**(2022) np.1, 1-12  
doi.org/10.1038/s41598-022-10248-2

- [21] A. Allahverdyan, A. Khachatrian, “Optimal alphabet for single text compression”, *Information Sciences* **621**(2022), 458-473  
doi.org/10.1016/j.ins.2022.10.104
- [22] A. Hovhannisyan, V. Stepanyan, A. E. Allahverdyan “Photon cooling: Linear versus nonlinear interactions”  
*Phys. Rev. A* **106**(2022) , 032214  
doi.org/10.1016/j.ins.2022.10.104
- [23] A. E. Allahverdyan, E. A. Khalafyan, “Energy Cost of Dynamical Stabilization: Stored versus Dissipated Energy”, *Entropy* **24**(2022) no.8 , 1020 2022  
doi.org/10.3390/e24081020
- [24] A. E. Allahverdyan, S. G. Gevorkian, Y. A. Dyakov, P. K. Wang “Thermodynamical definition of mean temperature” [arXiv:2207.02343[cond-mat.stat-mech]]
- [25] S. G. Babajanyan, E. V. Koonin, A. E. Allahverdyan “Thermodynamic selection: mechanisms and scenarios”  
*New Journal of Physics* **24**(2022), 053006  
doi.org/10.1088/1367-2630/ac6531
- [26] A. E. Allahverdyan, E. Khalafyan “Homeostasis and its energy costs studied via inverted pendulum” [arXiv:2203.14130[cond-mat.stat-mech]]
- [27] A. E. Allahverdyan, D. Petrosyan “Dissipative search of an unstructured database”  
*Phys. Rev. A* **105**(3), 032447  
doi.org/10.1103/PhysRevA.105.032447
- [28] A. Matevosyan, A. E. Allahverdyan “Lasting effects of static magnetic field on classical Brownian motion” [arXiv:2202.13160]
- [29] I. Adachi *et al.* [Belle-II], “Search for lepton-flavor-violating  $\tau$  decays to a lepton and an invisible boson at Belle II,” [arXiv:2212.03634 [hep-ex]].
- [30] I. Adachi *et al.* [Belle-II], “Search for an invisible  $Z'$  in a final state with two muons and missing energy at Belle II,” [arXiv:2212.03066 [hep-ex]].
- [31] F. Abudinén *et al.* [Belle-II], “Reconstruction of  $B \rightarrow \rho\ell\nu_\ell$  decays identified using hadronic decays of the recoil  $B$  meson in 2019 – 2021 Belle II data,” [arXiv:2211.15270 [hep-ex]].
- [32] F. Abudinén *et al.* [Belle-II], “Determination of  $|V_{cb}|$  from  $B \rightarrow D\ell\nu$  decays using 2019-2021 Belle II data,” [arXiv:2210.13143 [hep-ex]].

- [33] F. Abudinén *et al.* [Belle-II], “Measurement of the photon-energy spectrum in inclusive  $B \rightarrow X_s \gamma$  decays identified using hadronic decays of the recoil  $B$  meson in 2019–2021 Belle II data,” [arXiv:2210.10220 [hep-ex]].
- [34] J. Adam *et al.* [ATHENA], “ATHENA detector proposal — a totally hermetic electron nucleus apparatus proposed for IP6 at the Electron-Ion Collider,” JINST **17** (2022) no.10, P10019 doi:10.1088/1748-0221/17/10/P10019 [arXiv:2210.09048 [physics.ins-det]].
- [35] K. Adamczyk *et al.* [Belle-II], “Determination of  $|V_{ub}|$  from untagged  $B^0 \rightarrow \pi^- \ell^+ \nu_\ell$  decays using 2019–2021 Belle II data,” [arXiv:2210.04224 [hep-ex]].
- [36] F. Abudinén *et al.* [Belle-II], “Measurement of decay-time dependent  $CP$  violation in  $B^0 \rightarrow K_S^0 K_S^0 K_S^0$  using 2019–2021 Belle II data,” [arXiv:2209.09547 [hep-ex]].
- [37] F. Abudinén *et al.* [Belle-II], “Measurement of the branching fractions and  $CP$  asymmetries of  $B^+ \rightarrow \pi^+ \pi^0$  and  $B^+ \rightarrow K^+ \pi^0$  decays in 2019–2021 Belle II data,” [arXiv:2209.05154 [hep-ex]].
- [38] I. Adachi *et al.* [Belle-II], “Observation of  $e^+ e^- \rightarrow \omega \chi_{bJ}(1P)$  and search for  $X_b \rightarrow \omega \Upsilon(1S)$  at  $\sqrt{s}$  near 10.75 GeV,” [arXiv:2208.13189 [hep-ex]].
- [39] F. J. Abudinen *et al.* [Belle-II], “Measurement of the  $\Omega_c^0$  lifetime at Belle II,” [arXiv:2208.08573 [hep-ex]].
- [40] F. Abudinén *et al.* [Belle-II], “Measurement of Branching Fraction and Longitudinal Polarization in  $B^0 \rightarrow \rho^+ \rho^-$  Decays at Belle II,” [arXiv:2208.03554 [hep-ex]].
- [41] F. Abudinén *et al.* [Belle-II], “Measurements of the branching fraction, isospin asymmetry, and lepton-universality ratio in  $B \rightarrow J/\psi K$  decays at Belle II,” [arXiv:2207.11275 [hep-ex]].
- [42] F. Abudinén *et al.* [Belle-II], “Search for a dark photon and an invisible dark Higgs boson in  $\mu^+ \mu^-$  and missing energy final states with the Belle II experiment,” [arXiv:2207.00509 [hep-ex]].
- [43] F. Abudinén *et al.* [Belle-II], “Measurement of the  $\Lambda_c^+$  lifetime,” [arXiv:2206.15227 [hep-ex]].
- [44] F. Abudinén *et al.* [Belle-II], “Angular analysis of  $B^+ \rightarrow \rho^+ \rho^0$  decays reconstructed in 2019, 2020, and 2021 Belle II data,” [arXiv:2206.12362 [hep-ex]].
- [45] Y. B. Li *et al.* [Belle], “Evidence of a new excited charmed baryon decaying to  $\Sigma_c(2455)^{0,++} \pi^\pm$ ,” [arXiv:2206.08822 [hep-ex]].

- [46] F. Abudinén *et al.* [Belle-II], “Study of Exclusive  $B \rightarrow \pi e^+ \nu_e$  Decays with Hadronic Full-event-interpretation Tagging in  $189.3 \text{ fb}^{-1}$  of Belle II Data,” [arXiv:2206.08102 [hep-ex]].
- [47] F. Abudinén *et al.* [Belle-II], “Measurement of the branching fraction of the  $B^0 \rightarrow K_S^0 \pi^0 \gamma$  decay using  $190 \text{ fb}^{-1}$  of Belle II data,” [arXiv:2206.08280 [hep-ex]].
- [48] S. S. Tang *et al.* [Belle], “Measurement of the branching fraction of  $\Xi_c^0 \rightarrow \Lambda_c^+ \pi^-$  at Belle,” [arXiv:2206.08527 [hep-ex]].
- [49] F. Abudinén *et al.* [Belle-II], “First decay-time-dependent analysis of  $B^0 \rightarrow K_S^0 \pi^0$  at Belle II,” [arXiv:2206.07453 [hep-ex]].
- [50] F. Abudinén *et al.* [Belle-II], “Measurement of the branching fraction for the decay  $B \rightarrow K^*(892) \ell^+ \ell^-$  at Belle II,” [arXiv:2206.05946 [hep-ex]].
- [51] S. Patra *et al.* [Belle], “Search for charged lepton flavor violating decays of  $\Upsilon(1S)$ ,” JHEP **05** (2022), 095  
doi:10.1007/JHEP05(2022)095
- [52] T. Pang *et al.* [Belle], “Search for the decay  $B_s^0 \rightarrow \eta' K_S^0$ ,” Phys. Rev. D **106** (2022) no.5, L051103  
doi:10.1103/PhysRevD.106.L051103
- [53] X. Y. Gao *et al.* [Belle], “Search for tetraquark states  $X_{cc\bar{s}\bar{s}}$  in  $D_s^+ D_s^+$  ( $D_s^{*+} D_s^{*+}$ ) final states at Belle,” Phys. Rev. D **105** (2022) no.3, 032002  
doi:10.1103/PhysRevD.105.032002
- [54] B. Bhuyan *et al.* [Belle], “Search for the decay  $B_s^0 \rightarrow \eta\eta$ ,” Phys. Rev. D **105** (2022) no.1, 012007  
doi:10.1103/PhysRevD.105.012007
- [55] T. Bloomfield *et al.* [Belle], “Measurement of the branching fraction and  $CP$  asymmetry for  $B \rightarrow \bar{D}^0 \pi$  decays,” Phys. Rev. D **105** (2022) no.7, 072007  
doi:10.1103/PhysRevD.105.072007
- [56] C. Hadjivasiliou *et al.* [Belle], “Search for  $B^0$  meson decays into  $\Lambda$  and missing energy with a hadronic tagging method at Belle,” Phys. Rev. D **105** (2022) no.5, L051101  
doi:10.1103/PhysRevD.105.L051101
- [57] F. Abudinén *et al.* [Belle and Belle-II], “Combined analysis of Belle and Belle II data to determine the CKM angle  $\phi_3$  using  $B^+ \rightarrow D(K_S^0 h^- h^+) h^+$  decays,” JHEP **02** (2022), 063 doi:10.1007/JHEP02(2022)063

- [58] T. Czank *et al.* [Belle], “Search for  $Z' \rightarrow \mu^+ \mu^-$  in the  $L\mu-L\tau$  gauge-symmetric model at Belle,” Phys. Rev. D **106** (2022) no.1, 012003  
doi:10.1103/PhysRevD.106.012003
- [59] B. Wang *et al.* [Belle], “Measurement of  $\mathcal{B}(B_s \rightarrow D_s X)$  with  $B_s$  semileptonic tagging,” Phys. Rev. D **105** (2022) no.1, 012004  
doi:10.1103/PhysRevD.105.012004
- [60] U. Gebauer *et al.* [Belle], “Measurement of the branching fractions of the  $B \rightarrow \eta \ell + \nu \ell$  and  $B \rightarrow \eta' \ell + \nu \ell$  decays with signal-side only reconstruction in the full  $q^2$  range,” Phys. Rev. D **106** (2022) no.3, 032013  
doi:10.1103/PhysRevD.106.032013
- [61] A. Affolder, A. Apresyan, S. Worm, M. Albrow, D. Ally, D. Ambrose, E. Anderssen, N. Apadula, P. Asenov and W. Armstrong, *et al.* “Solid State Detectors and Tracking for Snowmass,” [arXiv:2209.03607 [physics.ins-det]].
- [62] A. Tumasyan [CMS and TOTEM], “Search for central exclusive production of top quark pairs in proton-proton collisions at  $\sqrt{s} = 13\text{TeV}$  with tagged protons,” CMS-PAS-TOP-21-007; TOTEM-NOTE-2022-002.
- [63] A. Tumasyan *et al.* [CMS], “Search for new particles in an extended Higgs sector with four b quarks in the final state at  $s=13\text{TeV}$ ,” Phys. Lett. B **835** (2022), 137566  
doi:10.1016/j.physletb.2022.137566
- [64] A. Tumasyan *et al.* [CMS], “Search for a  $W'$  boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state at  $\sqrt{s} = 13\text{ TeV}$ ,” JHEP **09** (2022), 088  
doi:10.1007/JHEP09(2022)088
- [65] A. Tumasyan *et al.* [CMS], “Measurement of the Drell-Yan forward-backward asymmetry at high dilepton masses in proton-proton collisions at  $\sqrt{s} = 13\text{ TeV}$ ,” JHEP **2022** (2022) no.08, 063  
doi:10.1007/JHEP08(2022)063
- [66] A. Tumasyan *et al.* [CMS], “Nuclear modification of  $\Upsilon$  states in pPb collisions at  $\sqrt{s_{NN}} = 5.02\text{ TeV}$ ,” Phys. Lett. B **835** (2022), 137397  
doi:10.1016/j.physletb.2022.137397
- [67] A. Tumasyan *et al.* [CMS], “Search for Higgs Boson Pair Production in the Four b Quark Final State in Proton-Proton Collisions at  $s=13\text{ TeV}$ ,” Phys. Rev. Lett. **129** (2022) no.8, 081802  
doi:10.1103/PhysRevLett.129.081802

- [68] A. Tumasyan *et al.* [CMS], “Inclusive nonresonant multilepton probes of new phenomena at  $\sqrt{s}=13$  TeV,” Phys. Rev. D **105** (2022) no.11, 112007 doi:10.1103/PhysRevD.105.112007 [arXiv:2202.08676 [hep-ex]].
- [69] A. Tumasyan *et al.* [CMS], “Measurement of the Higgs boson width and evidence of its off-shell contributions to ZZ production,” Nature Phys. **18** (2022) no.11, 1329-1334  
doi:10.1038/s41567-022-01682-0
- [70] A. Tumasyan *et al.* [CMS], “Search for new physics in the lepton plus missing transverse momentum final state in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” JHEP **07** (2022), 067  
doi:10.1007/JHEP07(2022)067
- [71] A. Tumasyan *et al.* [CMS], “Search for invisible decays of the Higgs boson produced via vector boson fusion in proton-proton collisions at  $s=13$  TeV,” Phys. Rev. D **105** (2022) no.9, 092007  
doi:10.1103/PhysRevD.105.092007
- [72] A. Tumasyan *et al.* [CMS], “Observation of  $B^0 \rightarrow \psi(2S)K_S^0\pi^+\pi^-$  and  $B_S^0 \rightarrow \psi(2S)K_S^0$  decays,” Eur. Phys. J. C **82** (2022), 499  
doi:10.1140/epjc/s10052-022-10315-y
- [73] A. Tumasyan *et al.* [CMS], “Search for resonances decaying to three W bosons in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” Phys. Rev. Lett. **129** (2022) no.2, 021802  
doi:10.1103/PhysRevLett.129.021802
- [74] A. Tumasyan *et al.* [CMS], “Identification of hadronic tau lepton decays using a deep neural network,” JINST **17** (2022), P07023  
doi:10.1088/1748-0221/17/07/P07023
- [75] A. Tumasyan *et al.* [CMS], “Search for charged-lepton flavor violation in top quark production and decay in pp collisions at  $\sqrt{s} = 13$  TeV,” JHEP **06** (2022), 082  
doi:10.1007/JHEP06(2022)082
- [76] A. Tumasyan *et al.* [CMS], “Precision measurement of the W boson decay branching fractions in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” Phys. Rev. D **105** (2022) no.7, 072008  
doi:10.1103/PhysRevD.105.072008

- [77] A. Tumasyan *et al.* [CMS], “Measurement of the inclusive and differential  $t\bar{t}\gamma$  cross sections in the dilepton channel and effective field theory interpretation in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” JHEP **05** (2022), 091  
doi:10.1007/JHEP05(2022)091
- [78] A. Tumasyan *et al.* [CMS], “Search for long-lived heavy neutral leptons with displaced vertices in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” JHEP **07** (2022), 081  
doi:10.1007/JHEP07(2022)081
- [79] A. Tumasyan *et al.* [CMS], “Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” JHEP **05** (2022), 014  
doi:10.1007/JHEP05(2022)014
- [80] A. Tumasyan *et al.* [CMS], “Observation of the  $B_c^+$  Meson in Pb-Pb and pp Collisions at  $\sqrt{s_{NN}} = 5.02$  TeV and Measurement of its Nuclear Modification Factor,” Phys. Rev. Lett. **128** (2022) no.25, 252301  
doi:10.1103/PhysRevLett.128.252301
- [81] A. Tumasyan *et al.* [CMS], “Search for high-mass resonances decaying to a jet and a Lorentz-boosted resonance in proton-proton collisions at  $s=13$  TeV,” Phys. Lett. B **832** (2022), 137263  
doi:10.1016/j.physletb.2022.137263
- [82] A. Tumasyan *et al.* [CMS], “Search for single production of a vector-like T quark decaying to a top quark and a Z boson in the final state with jets and missing transverse momentum at  $\sqrt{s} = 13$  TeV,” JHEP **05** (2022), 093  
doi:10.1007/JHEP05(2022)093
- [83] A. Tumasyan *et al.* [CMS], “Search for long-lived particles decaying into muon pairs in proton-proton collisions at  $\sqrt{s} = 13$  TeV collected with a dedicated high-rate data stream,” JHEP **04** (2022), 062  
doi:10.1007/JHEP04(2022)062
- [84] A. Tumasyan *et al.* [CMS], “Search for resonances decaying to three W bosons in the hadronic final state in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” Phys. Rev. D **106** (2022) no.1, 012002  
doi:10.1103/PhysRevD.106.012002
- [85] A. Tumasyan *et al.* [CMS and (CMS Collaboration)\*], “Probing Charm Quark Dynamics via Multiparticle Correlations in Pb-Pb Collisions at  $\sqrt{s_{NN}} = 5.02$  TeV,” Phys. Rev. Lett. **129** (2022) no.2, 022001  
doi:10.1103/PhysRevLett.129.022001

- [86] A. Tumasyan *et al.* [CMS], “Search for resonant production of strongly coupled dark matter in proton-proton collisions at 13 TeV,” *JHEP* **06** (2022), 156  
doi:10.1007/JHEP06(2022)156
- [87] A. Tumasyan *et al.* [CMS], “Measurement of the production cross section for Z+b jets in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” *Phys. Rev. D* **105** (2022) no.9, 092014  
doi:10.1103/PhysRevD.105.092014
- [88] A. Tumasyan *et al.* [CMS], “Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at  $\sqrt{s} = 13$  TeV,” *JHEP* **02** (2022), 169  
doi:10.1007/JHEP02(2022)169
- [89] A. Tumasyan *et al.* [CMS], “Measurement of the inclusive  $t\bar{t}$  production cross section in proton-proton collisions at  $\sqrt{s} = 5.02$  TeV,” *JHEP* **04** (2022), 144 doi:10.1007/JHEP04(2022)144
- [90] A. Tumasyan *et al.* [CMS], “Evidence for WW/WZ vector boson scattering in the decay channel  $\ell\nu qq$  produced in association with two jets in proton-proton collisions at  $s=13$  TeV,” *Phys. Lett. B* **834** (2022), 137438  
doi:10.1016/j.physletb.2022.137438
- [91] A. Tumasyan *et al.* [CMS], “Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” *JHEP* **04** (2022), 047  
doi:10.1007/JHEP04(2022)047
- [92] A. Tumasyan *et al.* [CMS], “Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at  $\sqrt{s}= 13$  TeV,” *JHEP* **05** (2022), 005  
doi:10.1007/JHEP05(2022)005
- [93] A. Tumasyan *et al.* [CMS], “Measurements of the associated production of a W boson and a charm quark in proton–proton collisions at  $\sqrt{s} = 8$  TeV,” *Eur. Phys. J. C* **82** (2022) no.12, 1094  
doi:10.1140/epjc/s10052-022-10897-7
- [94] A. Tumasyan *et al.* [CMS], “Measurement of  $W^\pm\gamma$  differential cross sections in proton-proton collisions at  $\sqrt{s} = 13$  TeV and effective field theory constraints,” *Phys. Rev. D* **105** (2022) no.5, 052003  
doi:10.1103/PhysRevD.105.052003

- [95] A. Tumasyan *et al.* [CMS], “Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at  $\sqrt{s} = 13$  TeV,” *JHEP* **04** (2022), 087  
doi:10.1007/JHEP04(2022)087
- [96] A. Tumasyan *et al.* [CMS], “Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at  $\sqrt{s} = 13$  TeV,” *JHEP* **04** (2022), 048  
doi:10.1007/JHEP04(2022)048
- [97] A. Tumasyan *et al.* [CMS], “Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” *JHEP* **02** (2022), 142  
doi:10.1007/JHEP02(2022)142
- [98] A. Tumasyan *et al.* [CMS], “Strategies and performance of the CMS silicon tracker alignment during LHC Run 2,” *Nucl. Instrum. Meth. A* **1037** (2022), 166795  
doi:10.1016/j.nima.2022.166795 [arXiv:2111.08757 [physics.ins-det]].
- [99] A. Tumasyan *et al.* [CMS], “Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” *JHEP* **04** (2022), 091  
doi:10.1007/JHEP04(2022)091
- [100] A. Tumasyan *et al.* [CMS], “Observation of triple  $J/\psi$  meson production in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” [arXiv:2111.05370 [hep-ex]].
- [101] A. Tumasyan *et al.* [CMS], “Study of dijet events with large rapidity separation in proton-proton collisions at  $\sqrt{s} = 2.76$  TeV,” *JHEP* **03** (2022), 189  
doi:10.1007/JHEP03(2022)189
- [102] A. Tumasyan *et al.* [CMS], “Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” *JHEP* **02** (2022), 107  
doi:10.1007/JHEP02(2022)107
- [103] A. Tumasyan *et al.* [CMS], “A new calibration method for charm jet identification validated with proton-proton collision events at  $\sqrt{s} = 13$  TeV,” *JINST* **17** (2022) no.03, P03014  
doi:10.1088/1748-0221/17/03/P03014
- [104] A. Tumasyan *et al.* [CMS], “Search for Flavor-Changing Neutral Current Interactions of the Top Quark and Higgs Boson in Final States with Two Photons in

Proton-Proton Collisions at  $\sqrt{s} = 13$  TeV,” Phys. Rev. Lett. **129** (2022) no.3, 032001

doi:10.1103/PhysRevLett.129.032001

- [105] A. Tumasyan *et al.* [CMS], “Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at  $\sqrt{s}= 13$  TeV,” Eur. Phys. J. C **82** (2022) no.4, 290

doi:10.1140/epjc/s10052-022-10127-0

- [106] A. Tumasyan *et al.* [CMS], “Search for long-lived particles produced in association with a Z boson in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” JHEP **03** (2022), 160  
doi:10.1007/JHEP03(2022)160

- [107] A. Tumasyan *et al.* [CMS], “Measurement of the inclusive and differential WZ production cross sections, polarization angles, and triple gauge couplings in pp collisions at  $\sqrt{s} = 13$  TeV,” JHEP **07** (2022), 032

doi:10.1007/JHEP07(2022)032

- [108] A. Tumasyan *et al.* [(TOTEM Collaboration)‡, (CMS Collaboration)†, TOTEM and CMS], “First Search for Exclusive Diphoton Production at High Mass with Tagged Protons in Proton-Proton Collisions at  $\sqrt{s} = 13$  TeV,” Phys. Rev. Lett. **129** (2022) no.1, 011801

doi:10.1103/PhysRevLett.129.011801

- [109] A. Tumasyan *et al.* [CMS], “Analysis of the  $CP$  structure of the Yukawa coupling between the Higgs boson and  $\tau$  leptons in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” JHEP **06** (2022), 012

doi:10.1007/JHEP06(2022)012

- [110] A. Tumasyan *et al.* [CMS], “Search for long-lived particles decaying to leptons with large impact parameter in proton–proton collisions at  $\sqrt{s} = 13$  TeV,” Eur. Phys. J. C **82** (2022) no.2, 153

doi:10.1140/epjc/s10052-022-10027-3

- [111] A. Tumasyan *et al.* [CMS], “Measurement of double-parton scattering in inclusive production of four jets with low transverse momentum in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” JHEP **01** (2022), 177

doi:10.1007/JHEP01(2022)177

- [112] A. Tumasyan *et al.* [CMS], “Search for heavy resonances decaying to  $Z(\nu\bar{\nu})V(q\bar{q}')$  in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” Phys. Rev. D **106** (2022) no.1, 012004  
doi:10.1103/PhysRevD.106.012004

- [113] A. Tumasyan *et al.* [CMS], “Search for heavy resonances decaying to WW, WZ, or WH boson pairs in the lepton plus merged jet final state in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” Phys. Rev. D **105** (2022) no.3, 032008  
doi:10.1103/PhysRevD.105.032008
- [114] A. Tumasyan *et al.* [CMS], “Study of quark and gluon jet substructure in Z+jet and dijet events from pp collisions,” JHEP **01** (2022), 188  
doi:10.1007/JHEP01(2022)188
- [115] A. Tumasyan *et al.* [CMS], “Observation of Bs0 mesons and measurement of the Bs0/B+ yield ratio in PbPb collisions at Image 1 TeV,” Phys. Lett. B **829** (2022), 137062  
doi:10.1016/j.physletb.2022.137062
- [116] A. Tumasyan *et al.* [CMS], “Measurement of the inclusive and differential Higgs boson production cross sections in the decay mode to a pair of  $\tau$  leptons in pp collisions at  $\sqrt{s} = 13$  TeV,” Phys. Rev. Lett. **128** (2022) no.8, 081805  
doi:10.1103/PhysRevLett.128.081805
- [117] A. Tumasyan *et al.* [CMS], “Search for electroweak production of charginos and neutralinos in proton-proton collisions at  $\sqrt{s} = 13$  TeV,” JHEP **04** (2022), 147  
doi:10.1007/JHEP04(2022)147
- [118] A. Tumasyan *et al.* [CMS], “Fragmentation of jets containing a prompt  $J/\psi$  meson in PbPb and pp collisions at  $\sqrt{s_{\text{NN}}} = 5.02$  TeV,” Phys. Lett. B **825** (2022), 136842  
doi:10.1016/j.physletb.2021.136842
- [119] A. Tumasyan *et al.* [CMS], “Search for  $W\gamma$  resonances in proton-proton collisions at  $\sqrt{s} = 13$  TeV using hadronic decays of Lorentz-boosted W bosons,” Phys. Lett. B **826** (2022), 136888  
doi:10.1016/j.physletb.2022.136888
- [120] A. Tumasyan *et al.* [CMS], “Search for strongly interacting massive particles generating trackless jets in proton–proton collisions at  $\sqrt{s} = 13$  TeV,” Eur. Phys. J. C **82** (2022) no.3, 213  
doi:10.1140/epjc/s10052-022-10095-5