

Publications by students

UB node:

- [1] G. Chanturia, “A two-potential formalism for the pion vector form factor,” PoS **Regio2021** (2022), 030
- [2] L. Razmadze, “Topology and symmetry in carbon nanoribbons,” PoS **Regio2021** (2022), 031
- [3] T. Luu, U.-G. Meißner and L. Razmadze, “Localization of electronic states in hybrid nanoribbons in the nonperturbative regime,” Phys. Rev. B **106** (2022) no.19, 195422 [arXiv:2204.02742 [cond-mat.str-el]].

YerPhi-YSU-IRPhE node

- [1] M. Avetisyan, “Vogel’s Universality and its Applications,” [arXiv:2207.04302 [math-ph]].
- [2] M. Y. Avetisyan and R. L. Mkrtchyan, “On refined Chern-Simons/topological string duality for classical gauge groups,” JHEP **11** (2022), 097
doi:10.1007/JHEP11(2022)097 [arXiv:2205.12832 [hep-th]]
- [3] M. Avetisyan, “Paving a path from the refined Chern-Simons to the topological strings,” PoS **Regio2021** (2022), 042
doi:10.22323/1.412.0042
- [4] M. Y. Avetisyan and R. L. Mkrtchyan, “On linear resolvability of universal quantum dimensions,” J. Knot Theor. Ramifications **31** (2022) no.02, 2250014
doi:10.1142/S0218216522500146
[arXiv:2101.08780 [math-ph]]
- [5] M. Davtyan, Z. Gevorkian and A. Nersessian, “Integrable isotropic profiles for polarized light,”
[arXiv:2210.00452 [physics.optics]].
- [6] M. Davtyan, “The role of symmetrical inhomogeneity in problems of electromagnetic wave propagation,”
[arXiv:2208.13449 [physics.optics]].
- [7] M. Davtyan, “Maxwell fish eye and Luneburg profiles for polarized light,” PoS **Regio2021** (2022), 011
doi:10.22323/1.412.0011

- [8] M. Karapetyan, “Commutator of higher spin gauge transformation,” PoS **Regio2021** (2022), 043
doi:10.22323/1.412.0043
- [9] E. Khastyan, “Supersymmetric extensions of oscillator- and Coulomb-like systems,” PoS **Regio2021** (2022), 010
doi:10.22323/1.412.0010
- [10] E. Khastyan, S. Krivonos and A. Nersessian, “Euler top and freedom in supersymmetrization of one-dimensional mechanics,” Phys. Lett. A **452** (2022), 128442
doi:10.1016/j.physleta.2022.128442
[arXiv:2204.12975 [hep-th]].
- [11] E. Khastyan, S. Krivonos and A. Nersessian, “Kähler geometry for $su(1, N-M)$ superconformal mechanics,” Phys. Rev. D **105** (2022) no.2, 025007
doi:10.1103/PhysRevD.105.025007
[arXiv:2110.11711 [hep-th]]
- [12] V. A. Muradyan, N. Z. Akopov, H. M. Ghumaryan and G. A. Karyan, ““Professor2” Package for Tuning the Parameters of Fragmentation Process in e^+e^- Annihilation,” J. Contemp. Phys. **56** (2021) no.2, 85-90
doi:10.3103/S1068337221020134
- [13] I. Adachi *et al.* [Belle-II], “Search for lepton-flavor-violating τ decays to a lepton and an invisible boson at Belle II,” [arXiv:2212.03634 [hep-ex]].
- [14] I. Adachi *et al.* [Belle-II], “Search for an invisible Z' in a final state with two muons and missing energy at Belle II,” [arXiv:2212.03066 [hep-ex]].
- [15] F. Abudinén *et al.* [Belle-II], “Reconstruction of $B \rightarrow \rho \ell \nu_\ell$ decays identified using hadronic decays of the recoil B meson in 2019 – 2021 Belle II data,” [arXiv:2211.15270 [hep-ex]].
- [16] F. Abudinén *et al.* [Belle-II], “Determination of $|V_{cb}|$ from $B \rightarrow D \ell \nu$ decays using 2019-2021 Belle II data,” [arXiv:2210.13143 [hep-ex]].
- [17] F. Abudinén *et al.* [Belle-II], “Measurement of the photon-energy spectrum in inclusive $B \rightarrow X_s \gamma$ decays identified using hadronic decays of the recoil B meson in 2019-2021 Belle II data,” [arXiv:2210.10220 [hep-ex]].
- [18] K. Adamczyk *et al.* [Belle-II], “Determination of $|V_{ub}|$ from untagged $B^0 \rightarrow \pi^- \ell^+ \nu_\ell$ decays using 2019-2021 Belle II data,” [arXiv:2210.04224 [hep-ex]].

- [19] F. Abudinén *et al.* [Belle-II], “Measurement of decay-time dependent CP violation in $B^0 \rightarrow K_S^0 K_S^0 K_S^0$ using 2019–2021 Belle II data,” [arXiv:2209.09547 [hep-ex]].
- [20] F. Abudinén *et al.* [Belle-II], “Measurement of the branching fractions and CP asymmetries of $B^+ \rightarrow \pi^+ \pi^0$ and $B^+ \rightarrow K^+ \pi^0$ decays in 2019-2021 Belle II data,” [arXiv:2209.05154 [hep-ex]].
- [21] I. Adachi *et al.* [Belle-II], “Observation of $e^+e^- \rightarrow \omega \chi_{bJ}(1P)$ and search for $X_b \rightarrow \omega \Upsilon(1S)$ at \sqrt{s} near 10.75 GeV,” [arXiv:2208.13189 [hep-ex]].
- [22] F. J. Abudinen *et al.* [Belle-II], “Measurement of the Ω_c^0 lifetime at Belle II,” [arXiv:2208.08573 [hep-ex]].
- [23] F. Abudinén *et al.* [Belle-II], “Measurement of Branching Fraction and Longitudinal Polarization in $B^0 \rightarrow \rho^+ \rho^-$ Decays at Belle II,” [arXiv:2208.03554 [hep-ex]].
- [24] F. Abudinén *et al.* [Belle-II], “Measurement of the Λ_c^+ lifetime,” [arXiv:2206.15227 [hep-ex]].
- [25] F. Abudinén *et al.* [Belle-II], “Angular analysis of $B^+ \rightarrow \rho^+ \rho^0$ decays reconstructed in 2019, 2020, and 2021 Belle II data,” [arXiv:2206.12362 [hep-ex]].
- [26] F. Abudinén *et al.* [Belle-II], “Study of Exclusive $B \rightarrow \pi e^+ \nu_e$ Decays with Hadronic Full-event-interpretation Tagging in 189.3 fb $^{-1}$ of Belle II Data,” [arXiv:2206.08102 [hep-ex]].
- [27] F. Abudinén *et al.* [Belle-II], “Measurement of the branching fraction of the $B^0 \rightarrow K_S^0 \pi^0 \gamma$ decay using 190 fb $^{-1}$ of Belle II data,” [arXiv:2206.08280 [hep-ex]].

TSU node

- [1] T. Supatashvili, M. Eliashvili and G. Tsitsishvili, “On the Wilson loops in 2D tight-binding models,”
PoS **Regio2021**, 021 (2022) doi:10.22323/1.412.0021
- [2] T. Supatashvili, M. Eliashvili and G. Tsitsishvili, “Group structure of Wilson loops in 2D tight-binding models with 2-band and 4-band energy spectra,”
Int. J. Mod. Phys. B **36**, no.28, 2250197 (2022) doi:10.1142/S0217979222501971 [arXiv:2108.06510 [cond-mat.mes-hall]].
- [3] T. Supatashvili, “Bogomolny equations from the Pseudoanalytic Functions Viewpoint,”
PoS **Regio2020**, 015 (2021) doi:10.22323/1.394.0015

- [4] R. Beradze and M. Gogberashvili, “LIGO signals from mirror world,”
PoS **Regio2021** (2022), 029 doi:10.22323/1.412.0029
- [5] M. Abuladze, R. Hetzel, J. Kasper, R. Shanidze and A. Stahl, “Study of Prompt Gamma emission in $^{12}\text{C}(p, p'\gamma)\text{C}^{12}$ nuclear reactions close to a Bragg Peak,” PoS **Regio2021** (2022), 033 doi:10.22323/1.412.0033
- [6] G. Papalashvili *et al.* [KM3NeT], “The KM3NeT project and Tier2 computing at Tbilisi State University,”
PoS **Regio2021** (2022), 006 doi:10.22323/1.412.0006
- [7] S. Aiello, ..., G. Papalashvili, ..., R. Shanidze *et al.* [KM3NeT], “The KM3NeT multi-PMT optical module,”
JINST **17** (2022) no.07, P07038 doi:10.1088/1748-0221/17/07/P07038 [arXiv:2203.10048 [astro-ph.IM]].
- [8] S. Aiello, ..., G. Papalashvili, ..., R. Shanidze *et al.* [KM3NeT], “Nanobeacon: A time calibration device for the KM3NeT neutrino telescope,”
Nucl. Instrum. Meth. A **1040** (2022), 167132 doi:10.1016/j.nima.2022.167132 [arXiv:2111.00223 [astro-ph.IM]].
- [9] S. Aiello, ..., G. Papalashvili, ..., R. Shanidze *et al.* [KM3NeT], “Implementation and first results of the KM3NeT real-time core-collapse supernova neutrino search,”
Eur. Phys. J. C **82** (2022) no.4, 317 doi:10.1140/epjc/s10052-022-10137-y [arXiv:2109.05890 [astro-ph.HE]].
- [10] S. Aiello, ..., G. Papalashvili, ..., R. Shanidze *et al.* [KM3NeT and JUNO], “Combined sensitivity of JUNO and KM3NeT/ORCA to the neutrino mass ordering,”
JHEP **03** (2022), 055 doi:10.1007/JHEP03(2022)055 [arXiv:2108.06293 [hep-ex]].
- [11] S. Aiello, ..., G. Papalashvili, ..., R. Shanidze *et al.* [KM3NeT], “Determining the neutrino mass ordering and oscillation parameters with KM3NeT/ORCA,”
Eur. Phys. J. C **82** (2022) no.1, 26 doi:10.1140/epjc/s10052-021-09893-0 [arXiv:2103.09885 [hep-ex]].
- [12] T. Zakareishvili, “Charmonium production in pp collisions at the LHC,”
PoS **Regio2021**, 004 (2022) doi:10.22323/1.412.0004
- [13] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], “Study of $\text{B}_c^+ \rightarrow \text{J}/\psi \text{D}_s^+$ and $\text{B}_c^+ \rightarrow \text{J}/\psi \text{D}_s^{*+}$ decays in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” JHEP **08**, 087 (2022) doi:10.1007/JHEP08(2022)087 [arXiv:2203.01808 [hep-ex]].

- [14] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for neutral long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter," JHEP **06**, 005 (2022) doi:10.1007/JHEP06(2022)005 [arXiv:2203.01009 [hep-ex]].
- [15] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for events with a pair of displaced vertices from long-lived neutral particles decaying into hadronic jets in the ATLAS muon spectrometer in pp collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **106**, no.3, 032005 (2022) doi:10.1103/PhysRevD.106.032005 [arXiv:2203.00587 [hep-ex]].
- [16] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurements of jet observables sensitive to b-quark fragmentation in $t\bar{t}$ events at the LHC with the ATLAS detector," Phys. Rev. D **106**, no.3, 032008 (2022) doi:10.1103/PhysRevD.106.032008 [arXiv:2202.13901 [hep-ex]].
- [17] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurements of differential cross-sections in top-quark pair events with a high transverse momentum top quark and limits on beyond the Standard Model contributions to top-quark pair production with the ATLAS detector at $\sqrt{s} = 13$ TeV," JHEP **06**, 063 (2022) doi:10.1007/JHEP06(2022)063 [arXiv:2202.12134 [hep-ex]].
- [18] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurement of the polarisation of single top quarks and antiquarks produced in the t-channel at $\sqrt{s} = 13$ TeV and bounds on the tWb dipole operator from the ATLAS experiment," JHEP **11**, 040 (2022) doi:10.1007/JHEP11(2022)040 [arXiv:2202.11382 [hep-ex]].
- [19] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for invisible Higgs-boson decays in events with vector-boson fusion signatures using 139 fb^{-1} of proton-proton data recorded by the ATLAS experiment," JHEP **08**, 104 (2022) doi:10.1007/JHEP08(2022)104 [arXiv:2202.07953 [hep-ex]].
- [20] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for resonant pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," Phys. Rev. D **105**, no.9, 092002 (2022) doi:10.1103/PhysRevD.105.092002 [arXiv:2202.07288 [hep-ex]].
- [21] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for type-III seesaw heavy leptons in leptonic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," Eur. Phys. J. C **82**, no.11, 988 (2022) doi:10.1140/epjc/s10052-022-10785-0 [arXiv:2202.02039 [hep-ex]].
- [22] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Two-particle Bose–Einstein correlations in pp collisions at $\sqrt{s} = 13$ TeV measured with

- the ATLAS detector at the LHC,” *Eur. Phys. J. C* **82**, no.7, 608 (2022) doi:10.1140/epjc/s10052-022-10472-0 [arXiv:2202.02218 [hep-ex]].
- [23] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Measurements of the Higgs boson inclusive and differential fiducial cross-sections in the diphoton decay channel with pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *JHEP* **08**, 027 (2022) doi:10.1007/JHEP08(2022)027 [arXiv:2202.00487 [hep-ex]].
 - [24] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Observation of WWW Production in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector,” *Phys. Rev. Lett.* **129**, no.6, 061803 (2022) doi:10.1103/PhysRevLett.129.061803 [arXiv:2201.13045 [hep-ex]].
 - [25] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Direct constraint on the Higgs-charm coupling from a search for Higgs boson decays into charm quarks with the ATLAS detector,” *Eur. Phys. J. C* **82**, 717 (2022) doi:10.1140/epjc/s10052-022-10588-3 [arXiv:2201.11428 [hep-ex]].
 - [26] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Measurements of Higgs boson production cross-sections in the $H \rightarrow \tau^+ \tau^-$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *JHEP* **08**, 175 (2022) doi:10.1007/JHEP08(2022)175 [arXiv:2201.08269 [hep-ex]].
 - [27] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for single production of a vectorlike T quark decaying into a Higgs boson and top quark with fully hadronic final states using the ATLAS detector,” *Phys. Rev. D* **105**, no.9, 092012 (2022) doi:10.1103/PhysRevD.105.092012 [arXiv:2201.07045 [hep-ex]].
 - [28] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for long-lived charginos based on a disappearing-track signature using 136 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **82**, no.7, 606 (2022) doi:10.1140/epjc/s10052-022-10489-5 [arXiv:2201.02472 [hep-ex]].
 - [29] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for Higgs boson pair production in the two bottom quarks plus two photons final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Rev. D* **106**, no.5, 052001 (2022) doi:10.1103/PhysRevD.106.052001 [arXiv:2112.11876 [hep-ex]].
 - [30] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV,” *Eur. Phys. J. C* **82**, no.5, 438 (2022) doi:10.1140/epjc/s10052-022-10217-z [arXiv:2112.11266 [hep-ex]].
 - [31] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Modelling and computational improvements to the simulation of single vector-boson plus jet

- processes for the ATLAS experiment,” JHEP **08**, 089 (2022) doi:10.1007/JHEP08(2022)089 [arXiv:2112.09588 [hep-ex]].
- [32] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”A search for an unexpected asymmetry in the production of $e+\mu^-$ and $e-\mu^+$ pairs in proton–proton collisions recorded by the ATLAS detector at $\sqrt{s}=13$ TeV,” Phys. Lett. B **830**, 137106 (2022) doi:10.1016/j.physletb.2022.137106 [arXiv:2112.08090 [hep-ex]].
 - [33] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” Eur. Phys. J. C **82**, no.4, 334 (2022) doi:10.1140/epjc/s10052-022-10182-7 [arXiv:2112.01302 [hep-ex]].
 - [34] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $\sqrt{s}=13$ TeV with the ATLAS detector,” Phys. Lett. B **829**, 137066 (2022) doi:10.1016/j.physletb.2022.137066 [arXiv:2111.08372 [hep-ex]].
 - [35] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Constraints on Higgs boson production with large transverse momentum using $H \rightarrow b\bar{b}$ decays in the ATLAS detector,” Phys. Rev. D **105**, no.9, 092003 (2022) doi:10.1103/PhysRevD.105.092003 [arXiv:2111.08340 [hep-ex]].
 - [36] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Measurements of azimuthal anisotropies of jet production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector,” Phys. Rev. C **105**, no.6, 064903 (2022) doi:10.1103/PhysRevC.105.064903 [arXiv:2111.06606 [nucl-ex]].
 - [37] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Measurement of Higgs boson decay into b -quarks in associated production with a top-quark pair in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” JHEP **06**, 097 (2022) doi:10.1007/JHEP06(2022)097 [arXiv:2111.06712 [hep-ex]].
 - [38] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV,” JHEP **03**, 041 (2022) doi:10.1007/JHEP03(2022)041 [arXiv:2110.13673 [hep-ex]].
 - [39] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Measurement of the energy asymmetry in $t\bar{t}j$ production at 13 TeV with the ATLAS experiment and interpretation in the SMEFT framework,” Eur. Phys. J. C **82**, no.4, 374 (2022) doi:10.1140/epjc/s10052-022-10101-w [arXiv:2110.05453 [hep-ex]].
 - [40] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for Higgs boson decays into a pair of pseudoscalar particles in the $b\bar{b}\mu\mu$ final state

- with the ATLAS detector in pp collisions at $\sqrt{s}=13$ TeV,” *Phys. Rev. D* **105**, no.1, 012006 (2022) doi:10.1103/PhysRevD.105.012006 [arXiv:2110.00313 [hep-ex]].
- [41] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Constraints on Higgs boson properties using $WW^*(\rightarrow e\nu\mu\nu)jj$ production in 36.1 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector,” *Eur. Phys. J. C* **82**, no.7, 622 (2022) doi:10.1140/epjc/s10052-022-10366-1 [arXiv:2109.13808 [hep-ex]].
 - [42] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector,” *Eur. Phys. J. C* **82**, no.1, 95 (2022) doi:10.1140/epjc/s10052-021-09843-w [arXiv:2109.10627 [hep-ex]].
 - [43] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *JHEP* **01**, 063 (2022) doi:10.1007/JHEP01(2022)063 [arXiv:2109.02447 [hep-ex]].
 - [44] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Operation and performance of the ATLAS semiconductor tracker in LHC Run 2,” *JINST* **17**, no.01, P01013 (2022) doi:10.1088/1748-0221/17/01/P01013 [arXiv:2109.02591 [physics.ins-det]].
 - [45] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”AtlFast3: the next generation of fast simulation in ATLAS,” *Comput. Softw. Big Sci.* **6**, 7 (2022) doi:10.1007/s41781-021-00079-7 [arXiv:2109.02551 [hep-ex]].
 - [46] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector,” *Eur. Phys. J. C* **82**, no.2, 105 (2022) doi:10.1140/epjc/s10052-021-09878-z [arXiv:2109.00925 [hep-ex]].
 - [47] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Measurement of the nuclear modification factor for muons from charm and bottom hadrons in Pb+Pb collisions at 5.02 TeV with the ATLAS detector,” *Phys. Lett. B* **829**, 137077 (2022) doi:10.1016/j.physletb.2022.137077 [arXiv:2109.00411 [nucl-ex]].
 - [48] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for heavy particles in the b -tagged dijet mass distribution with additional b -tagged jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment,” *Phys. Rev. D* **105**, no.1, 012001 (2022) doi:10.1103/PhysRevD.105.012001 [arXiv:2108.09059 [hep-ex]].
 - [49] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Measurement of the energy response of the ATLAS calorimeter to charged pions from

- $W^\pm \rightarrow \tau^\pm(\rightarrow \pi^\pm \nu_\tau) \nu_\tau$ events in Run 2 data,” Eur. Phys. J. C **82**, no.3, 223 (2022) doi:10.1140/epjc/s10052-022-10117-2 [arXiv:2108.09043 [hep-ex]].
- [50] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2,” Eur. Phys. J. C **82**, no.3, 206 (2022) doi:10.1140/epjc/s10052-021-09920-0 [arXiv:2107.02485 [hep-ex]].
- [51] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for new phenomena in three- or four-lepton events in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector,” Phys. Lett. B **824**, 136832 (2022) doi:10.1016/j.physletb.2021.136832 [arXiv:2107.00404 [hep-ex]].
- [52] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for lepton-flavor-violation in Z -boson decays with τ -leptons with the ATLAS detector,” Phys. Rev. Lett. **127**, 271801 (2022) doi:10.1103/PhysRevLett.127.271801 [arXiv:2105.12491 [hep-ex]].
- [53] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Performance of the ATLAS Level-1 topological trigger in Run 2,” Eur. Phys. J. C **82**, no.1, 7 (2022) doi:10.1140/epjc/s10052-021-09807-0 [arXiv:2105.01416 [hep-ex]].
- [54] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Emulating the impact of additional proton–proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events,” Comput. Softw. Big Sci. **6**, no.1, 3 (2022) doi:10.1007/s41781-021-00062-2 [arXiv:2102.09495 [hep-ex]].