

List of publications

UB node

- [1] A. Asokan, M. N. Tang, F. K. Guo, C. Hanhart, Y. Kamiya and U.-G. Meißner, “Can the two-pole structure of the $D_0^*(2300)$ be understood from recent lattice data?,” [arXiv:2212.07856 [hep-ph]].
- [2] D. Severt, M. Mai and U.-G. Meißner, “Particle-dimer approach for the Roper resonance in a finite volume,” [arXiv:2212.02171 [hep-lat]].
- [3] Y. J. Shi, Z. P. Xing and U.-G. Meißner, “Weak radiative decay $\Lambda_c^+ \rightarrow \Sigma^+ \gamma$ using light-cone sum rules,” [arXiv:2212.01111 [hep-ph]].
- [4] J. Y. Panteleeva, E. Epelbaum, J. Gegelia and U.-G. Meißner, “Definition of gravitational local spatial densities for spin-0 and spin-1/2 systems,” [arXiv:2211.09596 [hep-ph]].
- [5] U.-G. Meißner, “The proton radius and its relatives – much ado about nothing?,” [arXiv:2211.05419 [hep-ph]].
- [6] S. Elhatisari, L. Bovermann, E. Epelbaum, D. Frame, F. Hildenbrand, M. Kim, Y. Kim, H. Krebs, T. A. Lähde and D. Lee, *et al.* “Wave function matching for the quantum many-body problem,” [arXiv:2210.17488 [nucl-th]].
- [7] H. Le, J. Haidenbauer, U.-G. Meißner and A. Nogga, “Ab initio calculation of charge symmetry breaking in $A = 7$ and 8Λ -hypernuclei,” [arXiv:2210.03387 [nucl-th]].
- [8] H. Alharazin, E. Epelbaum, J. Gegelia, U.-G. Meißner and B. D. Sun, “Gravitational form factors of the delta resonance in chiral EFT,” *Eur. Phys. J. C* **82** (2022) no.10, 907 [arXiv:2209.01233 [hep-ph]].
- [9] Y. H. Lin, H. W. Hammer and U.-G. Meißner, “Dispersion-theoretical analysis of the electromagnetic form factors of the Λ hyperon,” *Eur. Phys. J. C* **82** (2022) no.12, 1091 [arXiv:2208.14802 [hep-ph]].
- [10] J. Haidenbauer and U.-G. Meißner, “Status of the hyperon-nucleon interaction in chiral effective field theory,” *EPJ Web Conf.* **271** (2022), 05001 [arXiv:2208.13542 [nucl-th]].
- [11] U.-G. Meißner and B. C. Metsch, “Probing nuclear observables via primordial nucleosynthesis,” *Eur. Phys. J. A* **58** (2022) no.11, 212 [arXiv:2208.12600 [nucl-th]].
- [12] C. W. Shen, Y. h. Lin and U.-G. Meißner, “ P_{cc}^N states in a unitarized coupled-channel approach,” [arXiv:2208.10865 [hep-ph]].

- [13] R. L. Workman *et al.* [Particle Data Group], “Review of Particle Physics,” PTEP **2022** (2022), 083C01
- [14] A. Antognini, Y. H. Lin and U.-G. Meißner, “Precision calculation of the recoil–finite-size correction for the hyperfine splitting in muonic and electronic hydrogen,” Phys. Lett. B **835** (2022), 137575 [arXiv:2208.04025 [nucl-th]].
- [15] Y. F. Wang, D. Rönchen, U.-G. Meißner, Y. Lu, C. W. Shen and J. J. Wu, “Reaction $\pi N \rightarrow \omega N$ in a dynamical coupled-channel approach,” Phys. Rev. D **106** (2022) no.9, 094031 [arXiv:2208.03061 [nucl-th]].
- [16] D. Rönchen, M. Döring, U.-G. Meißner and C. W. Shen, “Light baryon resonances from a coupled-channel study including $\mathbf{K}\Sigma$ photoproduction,” Eur. Phys. J. A **58** (2022), 229 [arXiv:2208.00089 [nucl-th]].
- [17] M. Salajegheh, H. Khanpour, U.-G. Meißner, H. Hashamipour and M. Soleymaninia, “Global QCD analysis of diffractive parton distribution function considering higher twist corrections within the xFitter framework,” Phys. Rev. D **106** (2022) no.5, 054012 [arXiv:2206.13788 [hep-ph]].
- [18] P. Maris *et al.* [LENPIC], “Nuclear properties with semilocal momentum-space regularized chiral interactions beyond N²LO,” Phys. Rev. C **106** (2022) no.6, 064002 [arXiv:2206.13303 [nucl-th]].
- [19] Y. J. Shi, Z. X. Zhao, Y. Xing and U.-G. Meißner, “W-exchange contribution to the decays $\Xi_{cc}^{++} \rightarrow \Xi_c^{+}(\prime)\pi^{+}$ using light-cone sum rules,” Phys. Rev. D **106** (2022) no.3, 034004 [arXiv:2206.13196 [hep-ph]].
- [20] F. Hildenbrand, S. Elhatisari, T. A. Lähde, D. Lee and U.-G. Meißner, “Lattice Monte Carlo simulations with two impurity worldlines,” Eur. Phys. J. A **58** (2022) no.9, 167 [arXiv:2206.09459 [nucl-th]].
- [21] M. Mai, U.-G. Meißner and C. Urbach, “Towards a theory of hadron resonances,” [arXiv:2206.01477 [hep-ph]].
- [22] Q. H. Yang, L. Y. Dai, D. Guo, J. Haidenbauer, X. W. Kang and U.-G. Meißner, “New insights into the oscillation of the nucleon electromagnetic form factors,” [arXiv:2206.01494 [nucl-th]].
- [23] C. Y. Seng, W. J. Marciano and U.-G. Meißner, “Electron mass singularities in semileptonic kaon decays,” Phys. Rev. D **106** (2022) no.1, 013006 [arXiv:2206.01513 [hep-ph]].
- [24] J. Y. Panteleeva, E. Epelbaum, J. Gegelia and U.-G. Meißner, “Definition of electromagnetic local spatial densities for composite spin-1/2 systems,” Phys. Rev. D **106** (2022) no.5, 056019 [arXiv:2205.15061 [hep-ph]].

- [25] J. Lozano, U.-G. Meißner, F. Romero-López, A. Rusetsky and G. Schierholz, “Resonance form factors from finite-volume correlation functions with the external field method,” JHEP **10** (2022), 106 [arXiv:2205.11316 [hep-lat]].
- [26] G. Stellan, K. H. Speidel and U.-G. Meißner, “Magnetic dipole moments as a strong signature for α -clustering in even-even self-conjugate nuclei,” Eur. Phys. J. A **58** (2022) no.10, 208 [arXiv:2205.10388 [nucl-th]].
- [27] Y. H. Lin, H. W. Hammer and U.-G. Meißner, “The electromagnetic Sigma-to-Lambda transition form factors with coupled-channel effects in the space-like region,” [arXiv:2205.00850 [hep-ph]].
- [28] Z. L. Wang, C. W. Shen, D. Rönchen, U.-G. Meißner and B. S. Zou, “Resonances in heavy meson–heavy baryon coupled-channel interactions,” Eur. Phys. J. C **82** (2022) no.5, 497 [arXiv:2204.12122 [hep-ph]].
- [29] T. Luu, U.-G. Meißner and L. Razmadze, “Localization of electronic states in hybrid nanoribbons in the nonperturbative regime,” Phys. Rev. B **106** (2022) no.19, 195422 [arXiv:2204.02742 [cond-mat.str-el]].
- [30] N. Brambilla, H. X. Chen, A. Esposito, J. Ferretti, A. Francis, F. K. Guo, C. Hanhart, A. Hosaka, R. L. Jaffe and M. Karliner, *et al.* “Substructure of Multiquark Hadrons (Snowmass 2021 White Paper),” [arXiv:2203.16583 [hep-ph]].
- [31] B. Kaspchak and U.-G. Meißner, “New insights into four-boson renormalization group limit cycles,” [arXiv:2203.14597 [nucl-th]].
- [32] C. W. Shen and U.-G. Meißner, “Prediction of five-flavored pentaquarks,” Phys. Lett. B **831** (2022), 137197 [arXiv:2203.09804 [hep-ph]].
- [33] C. Y. Seng, D. Galviz, M. Gorchtein and U.-G. Meißner, “Complete theory of radiative corrections to $K_{\ell 3}$ decays and the V_{us} update,” JHEP **07** (2022), 071 [arXiv:2203.05217 [hep-ph]].
- [34] S. Shen, T. A. Lähde, D. Lee and U.-G. Meißner, “Emergent geometry and duality in the carbon nucleus,” [arXiv:2202.13596 [nucl-th]].
- [35] A. Nogga, J. Haidenbauer and U.-G. Meißner, “Constraints on the Λ -neutron interaction from charge-symmetry breaking of $A=4$ hypernuclei,” [arXiv:2202.12356 [nucl-th]].
- [36] N. Kaiser, Y. H. Lin and U.-G. Meißner, “Radiative corrections to elastic muon-proton scattering at low momentum transfers,” Phys. Rev. D **105** (2022) no.7, 076006 [arXiv:2202.04409 [hep-ph]].
- [37] T. Vonk, F. K. Guo and U.-G. Meißner, “Pion axioproduction: The Δ resonance contribution,” Phys. Rev. D **105** (2022) no.5, 054029 [arXiv:2202.00268 [hep-ph]].

- [38] J. Haidenbauer and U.-G. Meißner, “Strangeness $S = -3$ and -4 baryon-baryon interactions in chiral effective field theory,” [arXiv:2201.08238 [nucl-th]].
- [39] E. Epelbaum, J. Gegelia, N. Lange, U.-G. Meißner and M. V. Polyakov, “Definition of Local Spatial Densities in Hadrons,” Phys. Rev. Lett. **129** (2022) no.1, 012001 [arXiv:2201.02565 [hep-ph]].
- [40] U.-G. Meißner, “Chiral Dynamics: Theory and Experiment - A Tribute to Aron Bernstein,” [arXiv:2201.00341 [hep-ph]].
- [41] J. Haidenbauer and U.-G. Meißner, “ $N\bar{N}$ interaction from chiral effective field theory and its application to neutron-antineutron oscillations,” EPJ Web Conf. **258** (2022), 06002
- [42] J. Haidenbauer and U.-G. Meißner, “Antinucleon-nucleon interaction from chiral effective field theory and its application to neutron-antineutron oscillations,” EPJ Web Conf. **262** (2022), 01017
- [43] U.-G. Meißner and A. Rusetsky, “Effective Field Theories,” Cambridge University Press, 2022,
- [44] C. Alexandrou, S. Bacchio, P. Dimopoulos, J. Finkenrath, R. Frezzotti, G. Gagliardi, M. Garofalo, K. Hadjiyiannakou, B. Kostrzewa and K. Jansen, *et al.* “Disconnected contribution to the LO HVP term of muon $g-2$ from ETMC,” [arXiv:2212.07057 [hep-lat]].
- [45] B. Kostrzewa, S. Bacchio, J. Finkenrath, M. Garofalo, F. Pittler, S. Romiti and C. Urbach, “Twisted mass ensemble generation on GPU machines,” [arXiv:2212.06635 [hep-lat]].
- [46] C. Alexandrou, S. Bacchio, S. Burri, J. Finkenrath, A. Gasbarro, K. Hadjiyiannakou, K. Jansen, G. Kanwar, B. Kostrzewa and K. Ottnad, *et al.* “The $\eta \rightarrow \gamma^* \gamma^*$ transition form factor and the hadronic light-by-light η -pole contribution to the muon $g - 2$ from lattice QCD,” [arXiv:2212.06704 [hep-lat]].
- [47] M. Garofalo, M. Mai, F. Romero-López, A. Rusetsky and C. Urbach, “Three-body resonances in the φ^4 theory,” [arXiv:2211.05605 [hep-lat]].
- [48] M. Garofalo, T. Hartung, K. Jansen, J. Ostmeyer, S. Romiti and C. Urbach, “Defining Canonical Momenta for Discretised SU(2) Gauge Fields,” [arXiv:2210.15547 [hep-lat]].
- [49] C. Alexandrou, S. Bacchio, M. Constantinou, P. Dimopoulos, J. Finkenrath, R. Frezzotti, K. Hadjiyiannakou, K. Jansen, B. Kostrzewa and G. Koutsou, *et al.* “Nucleon transverse quark spin densities,” [arXiv:2210.05743 [hep-lat]].

- [50] C. Alexandrou, S. Bacchio, P. Dimopoulos, J. Finkenrath, R. Frezzotti, G. Gagliardi, M. Garofalo, K. Hadjiyiannakou, B. Kostrzewa and K. Jansen, *et al.* “Lattice calculation of the short and intermediate time-distance hadronic vacuum polarization contributions to the muon magnetic moment using twisted-mass fermions,” [arXiv:2206.15084 [hep-lat]].
- [51] C. Alexandrou, S. Bacchio, M. Constantinou, P. Dimopoulos, J. Finkenrath, R. Frezzotti, K. Hadjiyiannakou, K. Jansen, B. Kostrzewa and G. Koutsou, *et al.* “First moments of the nucleon transverse quark spin densities using lattice QCD,” [arXiv:2202.09871 [hep-lat]].
- [52] T. Hartung, T. Jakobs, K. Jansen, J. Ostmeier and C. Urbach, “Digitising SU(2) gauge fields and the freezing transition,” *Eur. Phys. J. C* **82** (2022) no.3, 237 [arXiv:2201.09625 [hep-lat]].
- [53] J. Finkenrath, C. Alexandrou, S. Bacchio, M. Constantinou, P. Dimopoulos, R. Frezzotti, K. Jansen, B. Kostrzewa, G. Koutsou and G. Rossi, *et al.* “Twisted mass gauge ensembles at physical values of the light, strange and charm quark masses,” *PoS LATTICE2021* (2022), 284 [arXiv:2201.02551 [hep-lat]].
- [54] H. Akdag, B. Kubis and A. Wirzba, “ C and CP violation in effective field theories,” [arXiv:2212.07794 [hep-ph]].
- [55] M. Zillinger, B. Kubis and P. Sánchez-Puertas, “CP violation in $\eta' \rightarrow \pi^+ \pi^- \mu^+ \mu^-$ decays,” *JHEP* **12** (2022), 001 [arXiv:2210.14925 [hep-ph]].
- [56] M. Hoferichter, G. Colangelo, B. L. Hoid, B. Kubis, J. R. de Elvira, D. Stamen and P. Stoffer, “Chiral extrapolation of hadronic vacuum polarization and isospin-breaking corrections,” *PoS LATTICE2022* (2022), 316 [arXiv:2210.11904 [hep-ph]].
- [57] S. Kürten, M. Zanke, B. Kubis and D. van Dyk, “Dispersion relations for $B^- \rightarrow \ell^- \bar{\nu}_\ell \ell'^- \ell'^+$ form factors,” [arXiv:2210.09832 [hep-ph]].
- [58] G. Colangelo, M. Hoferichter, B. Kubis and P. Stoffer, “Isospin-breaking effects in the two-pion contribution to hadronic vacuum polarization,” *JHEP* **10** (2022), 032 [arXiv:2208.08993 [hep-ph]].
- [59] B. Kubis, “Precision tests of fundamental symmetries with η and η' decays,” *PoS Regio2021* (2022), 013
- [60] G. Colangelo, M. Davier, A. X. El-Khadra, M. Hoferichter, C. Lehner, L. Lellouch, T. Mibe, B. L. Roberts, T. Teubner and H. Wittig, *et al.* “Prospects for precise predictions of a_μ in the Standard Model,” [arXiv:2203.15810 [hep-ph]].

- [61] J. Elam *et al.* [REDTOP], “The REDTOP experiment: Rare η/η' Decays To Probe New Physics,” [arXiv:2203.07651 [hep-ex]].
- [62] D. Stamen, D. Hariharan, M. Hoferichter, B. Kubis and P. Stoffer, “Kaon electromagnetic form factors in dispersion theory,” *Eur. Phys. J. C* **82** (2022) no.5, 432 [arXiv:2202.11106 [hep-ph]].
- [63] S. Holz, C. Hanhart, M. Hoferichter and B. Kubis, “A dispersive analysis of $\eta' \rightarrow \pi^+\pi^-\gamma$ and $\eta' \rightarrow \ell^+\ell^-\gamma$,” *Eur. Phys. J. C* **82** (2022) no.5, 434 [arXiv:2202.05846 [hep-ph]].
- [64] F. Müller, J. Y. Pang, A. Rusetsky and J. J. Wu, “Three-particle Lellouch-Lüscher formalism in moving frames,” [arXiv:2211.10126 [hep-lat]].
- [65] J. Y. Pang, M. Ebert, H. W. Hammer, F. Müller, A. Rusetsky and J. J. Wu, “Spurious poles in a finite volume,” *JHEP* **07** (2022), 019 [arXiv:2204.04807 [hep-lat]].
- [66] J. Bulava, R. Briceño, W. Detmold, M. Döring, R. G. Edwards, A. Francis, F. Knechtli, R. Lewis, S. Prelovsek and S. M. Ryan, *et al.* “Hadron Spectroscopy with Lattice QCD,” [arXiv:2203.03230 [hep-lat]].
- [67] G. Chanturia, “A two-potential formalism for the pion vector form factor,” *PoS Regio2021* (2022), 030
- [68] L. Razmadze, “Topology and symmetry in carbon nanoribbons,” *PoS Regio2021* (2022), 031

USi node

- [1] M. Bordone, A. Khodjamirian and T. Mannel, “New Sum Rules for the $B_c \rightarrow J/\psi$ Form Factors,” [arXiv:2209.08851 [hep-ph]].
- [2] R. L. Workman *et al.* [Particle Data Group], “Review of Particle Physics,” *PTEP* **2022** (2022), 083C01
- [3] N. Gubernari, A. Khodjamirian, R. Mandal and T. Mannel, “ $B \rightarrow D_1(2420)$ and $B \rightarrow D'_1(2430)$ form factors from QCD light-cone sum rules,” *JHEP* **05** (2022), 029 [arXiv:2203.08493 [hep-ph]].
- [4] T. Mannel, D. Moreno and A. A. Pivovarov, “NLO QCD corrections to inclusive $b \rightarrow c\ell\bar{\nu}$ decay spectra up to $1/m_Q^3$,” *Phys. Rev. D* **105** (2022) no.5, 054033 [arXiv:2112.03875 [hep-ph]].
- [5] A. Khodjamirian and M. Wald, “B-meson decay into a proton and dark antibaryon from QCD light-cone sum rules,” *Phys. Lett. B* **834** (2022), 137434 [arXiv:2206.11601 [hep-ph]].

- [6] J. Reuter, T. Han, W. Kilian, N. Kreher, Y. Ma, T. Striegl and K. Xie, “Precision test of the muon-Higgs coupling at a high-energy muon collider,” [arXiv:2212.01323 [hep-ph]].
- [7] F. Maltoni, S. Su, J. Thaler, T. K. Aarrestad, A. Aboubrahim, S. Adhikari, I. Agapov, K. Agashe, P. Agrawal and S. Airen, *et al.* “TF07 Snowmass Report: Theory of Collider Phenomena,” [arXiv:2210.02591 [hep-ph]].
- [8] P. Brecht, W. Kilian, J. Reuter and P. Stenemeier, “NLO Electroweak Corrections to Multi-Boson Processes at a Muon Collider,” [arXiv:2208.09438 [hep-ph]].
- [9] J. M. Campbell, M. Diefenthaler, T. J. Hobbs, S. Höche, J. Isaacson, F. Kling, S. Mrenna, J. Reuter, S. Alioli and J. R. Andersen, *et al.* “Event Generators for High-Energy Physics Experiments,” [arXiv:2203.11110 [hep-ph]].
- [10] N. Bartosik *et al.* [Muon Collider], “Simulated Detector Performance at the Muon Collider,” [arXiv:2203.07964 [hep-ex]].
- [11] D. Stratakis *et al.* [Muon Collider], “A Muon Collider Facility for Physics Discovery,” [arXiv:2203.08033 [physics.acc-ph]].
- [12] S. Jindariani *et al.* [Muon Collider], “Promising Technologies and R&D Directions for the Future Muon Collider Detectors,” [arXiv:2203.07224 [physics.ins-det]].
- [13] C. Aime, A. Apyan, M. A. Mahmoud Mohammed, N. Bartosik, F. Batsch, A. Bertolin, M. Bonesini, S. Bottaro, D. Buttazzo and R. M. Capdevilla Roldan, *et al.* “Muon Collider Physics Summary,” [arXiv:2203.07256 [hep-ph]].
- [14] J. de Blas *et al.* [Muon Collider], “The physics case of a 3 TeV muon collider stage,” [arXiv:2203.07261 [hep-ph]].
- [15] M. Barakat, R. Brüser, T. Huber and J. Piclum, “IBP reduction via Gröbner bases in a rational double-shift algebra,” PoS **LL2022** (2022), 043 [arXiv:2207.09275 [hep-ph]].
- [16] T. Huber, “Some recent developments in nonleptonic B decays,” [arXiv:2204.06224 [hep-ph]].
- [17] A. Chakraborty, T. Huber, R. N. Lee, A. von Manteuffel, R. M. Schabinger, A. V. Smirnov, V. A. Smirnov and M. Steinhauser, “Hbb vertex at four loops and hard matching coefficients in SCET for various currents,” Phys. Rev. D **106** (2022) no.7, 074009 [arXiv:2204.02422 [hep-ph]].

FZJ node

- [1] S. Karanth, ..., I. Keshelashvili, A.Kacharava M. Tabidze, N. Lomidze, G. Macharashvili *et al.* [JEDI],

“First Search for Axion-Like Particles in a Storage Ring Using a Polarized Deuteron Beam,”

[arXiv:2208.07293 [hep-ex]].

[2] S. Garni *et al.* [A2],

“Target and beam-target asymmetries for the $\gamma p \rightarrow \pi^0 \pi^0 p$ reaction,”

[arXiv:2207.14079 [hep-ex]].

[3] T. Seifen *et al.* [CBELSA/TAPS],

“Polarization observables in double neutral pion photoproduction,”

[arXiv:2207.01981 [nucl-ex]].

YerPhi-YSU-IRPhE node

[1] D. Consoli, F. Fucito, J. F. Morales and R. Poghossian, “CFT description of BH’s and ECO’s: QNMs, superradiance, echoes and tidal responses,”

[arXiv:2206.09437 [hep-th]].

[2] H. Poghosyan and R. Poghossian, “RG flows between W_3 minimal models,” PoS **Regio2021** (2022), 039

[3] H. Poghosyan and R. Poghossian, “RG flow between W_3 minimal models by perturbation and domain wall approaches,” JHEP **08** (2022), 307

[4] Z. S. Gevorkian, L. S. Petrosyan, and T. V. Shahbazyan, “Light absorption by weakly rough metal surfaces”, Phys. Rev. B **106**(2022), 205302

[5] Z. S. Gevorkian, “Universal Hall conductivity in graphene Maxwell fish-eye quantum dot”, Physica E **138**, 115103

[6] M. Y. Avetisyan and R. L. Mkrtchyan, “On refined Chern-Simons/topological string duality for classical gauge groups,” JHEP **11** (2022), 097

[7] M. Y. Avetisyan and R. L. Mkrtchyan, “Uniqueness of universal dimensions and configurations of points and lines,” Geometriae Dedicata **216** (2022), 1-16

[8] M. Y. Avetisyan and R. L. Mkrtchyan, “On linear resolvability of universal quantum dimensions,” J. Knot Theor. Ramifications **31** (2022) no.02, 2250014

[9] M. Avetisyan, “Vogel’s Universality and its Applications,” [arXiv:2207.04302 [math-ph]].

[10] M. Avetisyan, “Paving a path from the refined Chern-Simons to the topological strings,” PoS **Regio2021** (2022), 042

- [11] M. Davtyan, Z. Gevorkian and A. Nersessian, “Integrable isotropic profiles for polarized light,”
[arXiv:2210.00452 [physics.optics]].
- [12] M. Davtyan, “The role of symmetrical inhomogeneity in problems of electromagnetic wave propagation,”
[arXiv:2208.13449 [physics.optics]].
- [13] M. Davtyan, “Maxwell fish eye and Luneburg profiles for polarized light,” PoS **Regio2021** (2022), 011
- [14] M. Karapetyan, “Commutator of higher spin gauge transformation,” PoS **Regio2021** (2022), 043
- [15] E. Khastyan, “Supersymmetric extensions of oscillator- and Coulomb-like systems,” PoS **Regio2021** (2022), 010
- [16] E. Khastyan, S. Krivonos and A. Nersessian, “Euler top and freedom in supersymmetrization of one-dimensional mechanics,” Phys. Lett. A **452** (2022), 128442
[arXiv:2204.12975 [hep-th]].
- [17] E. Khastyan, S. Krivonos and A. Nersessian, “Kähler geometry for $su(1,N-M)$ superconformal mechanics,” Phys. Rev. D **105** (2022) no.2, 025007
- [18] H. Arian Zad, A. Zoshki, N. Ananikian, M. Jaur “TomonagaLuttinger Spin Liquid and KosterlitzThouless Transition in the Spin-1/2 Branched Chains: The Study of Topological Phase Transition”, Materials **15**(2022)No. 12, 4183
- [19] H. A. Zad, A. Zoshki, N. Ananikian, M. Jaur, “Robust quantum entanglement and teleportation in the tertapartite spin-1/2 square clusters: Theoretical study on the effect of a cyclic four-spin exchange”
Journal of Magnetism and Magnetic Materials **559**(2022) 169533
- [20] Fadwa Benabdallah, Saeed Haddadi, Hamid Arian Zad, Mohammad Reza Pourkarimi, Mohammed Daoud, Nerses Ananikian “Pairwise quantum criteria and teleportation in a spin square complex”
Sci. Reports **12**(2022) np.1, 1-12
- [21] A. Allahverdyan, A. Khachatryan, “Optimal alphabet for single text compression”, Information Sciences **621**(2022), 458-473
- [22] A. Hovhannisyan, V. Stepanyan, A. E. Allahverdyan “Photon cooling: Linear versus nonlinear interactions”
Phys. Rev. A **106**(2022) , 032214

- [23] A. E. Allahverdyan, E. A. Khalafyan, “Energy Cost of Dynamical Stabilization: Stored versus Dissipated Energy”, Entropy **24**(2022) no.8 , 1020 2022
- [24] A. E. Allahverdyan, S. G. Gevorgian, Y. A. Dyakov, P. K. Wang “Thermodynamical definition of mean temperature” [arXiv:2207.02343[cond-mat.stat-mech]]
- [25] S. G. Babajanyan, E. V. Koonin, A. E. Allahverdyan “Thermodynamic selection: mechanisms and scenarios”
New Journal of Physics **24**(2022), 053006
- [26] A. E. Allahverdyan, E. Khalafyan “Homeostasis and its energy costs studied via inverted pendulum” [arXiv:2203.14130[cond-mat.stat-mech]]
- [27] A. E. Allahverdyan, D. Petrosyan “Dissipative search of an unstructured database” Phys. Rev. A **105**(3), 032447
- [28] A. Matevosyan, A. E. Allahverdyan “Lasting effects of static magnetic field on classical Brownian motion” [arXiv:2202.13160]
- [29] I. Adachi *et al.* [Belle-II], “Search for lepton-flavor-violating τ decays to a lepton and an invisible boson at Belle II,” [arXiv:2212.03634 [hep-ex]].
- [30] I. Adachi *et al.* [Belle-II], “Search for an invisible Z' in a final state with two muons and missing energy at Belle II,” [arXiv:2212.03066 [hep-ex]].
- [31] F. Abudinén *et al.* [Belle-II], “Reconstruction of $B \rightarrow \rho \ell \nu_\ell$ decays identified using hadronic decays of the recoil B meson in 2019 – 2021 Belle II data,” [arXiv:2211.15270 [hep-ex]].
- [32] F. Abudinén *et al.* [Belle-II], “Determination of $|V_{cb}|$ from $B \rightarrow D \ell \nu$ decays using 2019-2021 Belle II data,” [arXiv:2210.13143 [hep-ex]].
- [33] F. Abudinén *et al.* [Belle-II], “Measurement of the photon-energy spectrum in inclusive $B \rightarrow X_s \gamma$ decays identified using hadronic decays of the recoil B meson in 2019-2021 Belle II data,” [arXiv:2210.10220 [hep-ex]].
- [34] J. Adam *et al.* [ATHENA], “ATHENA detector proposal — a totally hermetic electron nucleus apparatus proposed for IP6 at the Electron-Ion Collider,” JINST **17** (2022) no.10, P10019 [arXiv:2210.09048 [physics.ins-det]].
- [35] K. Adamczyk *et al.* [Belle-II], “Determination of $|V_{ub}|$ from untagged $B^0 \rightarrow \pi^- \ell^+ \nu_\ell$ decays using 2019-2021 Belle II data,” [arXiv:2210.04224 [hep-ex]].
- [36] F. Abudinén *et al.* [Belle-II], “Measurement of decay-time dependent CP violation in $B^0 \rightarrow K_S^0 K_S^0 K_S^0$ using 2019–2021 Belle II data,” [arXiv:2209.09547 [hep-ex]].

- [37] F. Abudinén *et al.* [Belle-II], “Measurement of the branching fractions and CP asymmetries of $B^+ \rightarrow \pi^+\pi^0$ and $B^+ \rightarrow K^+\pi^0$ decays in 2019-2021 Belle II data,” [arXiv:2209.05154 [hep-ex]].
- [38] I. Adachi *et al.* [Belle-II], “Observation of $e^+e^- \rightarrow \omega\chi_{bJ}(1P)$ and search for $X_b \rightarrow \omega\Upsilon(1S)$ at \sqrt{s} near 10.75 GeV,” [arXiv:2208.13189 [hep-ex]].
- [39] F. J. Abudinen *et al.* [Belle-II], “Measurement of the Ω_c^0 lifetime at Belle II,” [arXiv:2208.08573 [hep-ex]].
- [40] F. Abudinén *et al.* [Belle-II], “Measurement of Branching Fraction and Longitudinal Polarization in $B^0 \rightarrow \rho^+\rho^-$ Decays at Belle II,” [arXiv:2208.03554 [hep-ex]].
- [41] F. Abudinén *et al.* [Belle-II], “Measurements of the branching fraction, isospin asymmetry, and lepton-universality ratio in $B \rightarrow J/\psi K$ decays at Belle II,” [arXiv:2207.11275 [hep-ex]].
- [42] F. Abudinén *et al.* [Belle-II], “Search for a dark photon and an invisible dark Higgs boson in $\mu^+\mu^-$ and missing energy final states with the Belle II experiment,” [arXiv:2207.00509 [hep-ex]].
- [43] F. Abudinén *et al.* [Belle-II], “Measurement of the Λ_c^+ lifetime,” [arXiv:2206.15227 [hep-ex]].
- [44] F. Abudinén *et al.* [Belle-II], “Angular analysis of $B^+ \rightarrow \rho^+\rho^0$ decays reconstructed in 2019, 2020, and 2021 Belle II data,” [arXiv:2206.12362 [hep-ex]].
- [45] Y. B. Li *et al.* [Belle], “Evidence of a new excited charmed baryon decaying to $\Sigma_c(2455)^{0,++}\pi^\pm$,” [arXiv:2206.08822 [hep-ex]].
- [46] F. Abudinén *et al.* [Belle-II], “Study of Exclusive $B \rightarrow \pi e^+\nu_e$ Decays with Hadronic Full-event-interpretation Tagging in 189.3 fb $^{-1}$ of Belle II Data,” [arXiv:2206.08102 [hep-ex]].
- [47] F. Abudinén *et al.* [Belle-II], “Measurement of the branching fraction of the $B^0 \rightarrow K_S^0\pi^0\gamma$ decay using 190 fb $^{-1}$ of Belle II data,” [arXiv:2206.08280 [hep-ex]].
- [48] S. S. Tang *et al.* [Belle], “Measurement of the branching fraction of $\Xi_c^0 \rightarrow \Lambda_c^+\pi^-$ at Belle,” [arXiv:2206.08527 [hep-ex]].
- [49] F. Abudinén *et al.* [Belle-II], “First decay-time-dependent analysis of $B^0 \rightarrow K_S^0\pi^0$ at Belle II,” [arXiv:2206.07453 [hep-ex]].
- [50] F. Abudinén *et al.* [Belle-II], “Measurement of the branching fraction for the decay $B \rightarrow K^*(892)\ell^+\ell^-$ at Belle II,” [arXiv:2206.05946 [hep-ex]].

- [51] S. Patra *et al.* [Belle], “Search for charged lepton flavor violating decays of $\Upsilon(1S)$,” JHEP **05** (2022), 095
- [52] T. Pang *et al.* [Belle], “Search for the decay $B_s^0 \rightarrow \eta' K_S^0$,” Phys. Rev. D **106** (2022) no.5, L051103
- [53] X. Y. Gao *et al.* [Belle], “Search for tetraquark states $X_{cc\bar{s}\bar{s}}$ in $D_s^+ D_s^+$ ($D_s^{*+} D_s^{*+}$) final states at Belle,” Phys. Rev. D **105** (2022) no.3, 032002
- [54] B. Bhuyan *et al.* [Belle], “Search for the decay $B_s^0 \rightarrow \eta\eta$,” Phys. Rev. D **105** (2022) no.1, 012007
- [55] T. Bloomfield *et al.* [Belle], “Measurement of the branching fraction and CP asymmetry for $B \rightarrow \bar{D}^0 \pi$ decays,” Phys. Rev. D **105** (2022) no.7, 072007
- [56] C. Hadjivasiliou *et al.* [Belle], “Search for B^0 meson decays into Λ and missing energy with a hadronic tagging method at Belle,” Phys. Rev. D **105** (2022) no.5, L051101
- [57] F. Abudinén *et al.* [Belle and Belle-II], “Combined analysis of Belle and Belle II data to determine the CKM angle ϕ_3 using $B^+ \rightarrow D(K_S^0 h^- h^+) h^+$ decays,” JHEP **02** (2022), 063
- [58] T. Czakn *et al.* [Belle], “Search for $Z' \rightarrow \mu + \mu^-$ in the $L\mu - L\tau$ gauge-symmetric model at Belle,” Phys. Rev. D **106** (2022) no.1, 012003
- [59] B. Wang *et al.* [Belle], “Measurement of $\mathcal{B}(B_s \rightarrow D_s X)$ with B_s semileptonic tagging,” Phys. Rev. D **105** (2022) no.1, 012004
- [60] U. Gebauer *et al.* [Belle], “Measurement of the branching fractions of the $B^+ \rightarrow \eta \ell^+ \nu \ell$ and $B^+ \rightarrow \eta' \ell^+ \nu \ell$ decays with signal-side only reconstruction in the full q^2 range,” Phys. Rev. D **106** (2022) no.3, 032013
- [61] A. Affolder, A. Apresyan, S. Worm, M. Albrow, D. Ally, D. Ambrose, E. Andersen, N. Apadula, P. Asenov and W. Armstrong, *et al.* “Solid State Detectors and Tracking for Snowmass,” [arXiv:2209.03607 [physics.ins-det]].
- [62] A. Tumasyan [CMS and TOTEM], “Search for central exclusive production of top quark pairs in proton-proton collisions at $\sqrt{s}=13\text{TeV}$ with tagged protons,” CMS-PAS-TOP-21-007; TOTEM-NOTE-2022-002.
- [63] A. Tumasyan *et al.* [CMS], “Search for new particles in an extended Higgs sector with four b quarks in the final state at $s=13\text{TeV}$,” Phys. Lett. B **835** (2022), 137566
- [64] A. Tumasyan *et al.* [CMS], “Search for a W' boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state at $\sqrt{s} = 13 \text{ TeV}$,” JHEP **09** (2022), 088

- [65] A. Tumasyan *et al.* [CMS], “Measurement of the Drell-Yan forward-backward asymmetry at high dilepton masses in proton-proton collisions at $\sqrt{s} = 13$ TeV,” JHEP **2022** (2022) no.08, 063
- [66] A. Tumasyan *et al.* [CMS], “Nuclear modification of Υ states in pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV,” Phys. Lett. B **835** (2022), 137397
- [67] A. Tumasyan *et al.* [CMS], “Search for Higgs Boson Pair Production in the Four b Quark Final State in Proton-Proton Collisions at $s=13$ TeV,” Phys. Rev. Lett. **129** (2022) no.8, 081802
- [68] A. Tumasyan *et al.* [CMS], “Inclusive nonresonant multilepton probes of new phenomena at $\sqrt{s}=13$ TeV,” Phys. Rev. D **105** (2022) no.11, 112007 [arXiv:2202.08676 [hep-ex]].
- [69] A. Tumasyan *et al.* [CMS], “Measurement of the Higgs boson width and evidence of its off-shell contributions to ZZ production,” Nature Phys. **18** (2022) no.11, 1329-1334
- [70] A. Tumasyan *et al.* [CMS], “Search for new physics in the lepton plus missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 13$ TeV,” JHEP **07** (2022), 067
- [71] A. Tumasyan *et al.* [CMS], “Search for invisible decays of the Higgs boson produced via vector boson fusion in proton-proton collisions at $s=13$ TeV,” Phys. Rev. D **105** (2022) no.9, 092007
- [72] A. Tumasyan *et al.* [CMS], “Observation of $B^0 \rightarrow \psi(2S) K_S^0 \pi^+ \pi^-$ and $B_S^0 \rightarrow \psi(2S) K_S^0$ decays,” Eur. Phys. J. C **82** (2022), 499
- [73] A. Tumasyan *et al.* [CMS], “Search for resonances decaying to three W bosons in proton-proton collisions at $\sqrt{s} = 13$ TeV,” Phys. Rev. Lett. **129** (2022) no.2, 021802
- [74] A. Tumasyan *et al.* [CMS], “Identification of hadronic tau lepton decays using a deep neural network,” JINST **17** (2022), P07023
- [75] A. Tumasyan *et al.* [CMS], “Search for charged-lepton flavor violation in top quark production and decay in pp collisions at $\sqrt{s} = 13$ TeV,” JHEP **06** (2022), 082
- [76] A. Tumasyan *et al.* [CMS], “Precision measurement of the W boson decay branching fractions in proton-proton collisions at $\sqrt{s} = 13$ TeV,” Phys. Rev. D **105** (2022) no.7, 072008
- [77] A. Tumasyan *et al.* [CMS], “Measurement of the inclusive and differential $t\bar{t}\gamma$ cross sections in the dilepton channel and effective field theory interpretation in proton-proton collisions at $\sqrt{s}=13$ TeV,” JHEP **05** (2022), 091

- [78] A. Tumasyan *et al.* [CMS], “Search for long-lived heavy neutral leptons with displaced vertices in proton-proton collisions at $\sqrt{s}=13$ TeV,” JHEP **07** (2022), 081
- [79] A. Tumasyan *et al.* [CMS], “Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV,” JHEP **05** (2022), 014
- [80] A. Tumasyan *et al.* [CMS], “Observation of the B_c^+ Meson in Pb-Pb and pp Collisions at $\sqrt{s_{NN}}=5.02$ TeV and Measurement of its Nuclear Modification Factor,” Phys. Rev. Lett. **128** (2022) no.25, 252301
- [81] A. Tumasyan *et al.* [CMS], “Search for high-mass resonances decaying to a jet and a Lorentz-boosted resonance in proton-proton collisions at $s=13$ TeV,” Phys. Lett. B **832** (2022), 137263
- [82] A. Tumasyan *et al.* [CMS], “Search for single production of a vector-like T quark decaying to a top quark and a Z boson in the final state with jets and missing transverse momentum at $\sqrt{s}=13$ TeV,” JHEP **05** (2022), 093
- [83] A. Tumasyan *et al.* [CMS], “Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\sqrt{s}=13$ TeV collected with a dedicated high-rate data stream,” JHEP **04** (2022), 062
- [84] A. Tumasyan *et al.* [CMS], “Search for resonances decaying to three W bosons in the hadronic final state in proton-proton collisions at $\sqrt{s}=13$ TeV,” Phys. Rev. D **106** (2022) no.1, 012002
- [85] A. Tumasyan *et al.* [CMS and (CMS Collaboration)*], “Probing Charm Quark Dynamics via Multiparticle Correlations in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV,” Phys. Rev. Lett. **129** (2022) no.2, 022001
- [86] A. Tumasyan *et al.* [CMS], “Search for resonant production of strongly coupled dark matter in proton-proton collisions at 13 TeV,” JHEP **06** (2022), 156
- [87] A. Tumasyan *et al.* [CMS], “Measurement of the production cross section for Z+b jets in proton-proton collisions at $\sqrt{s}=13$ TeV,” Phys. Rev. D **105** (2022) no.9, 092014
- [88] A. Tumasyan *et al.* [CMS], “Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s}=13$ TeV,” JHEP **02** (2022), 169
- [89] A. Tumasyan *et al.* [CMS], “Measurement of the inclusive $t\bar{t}$ production cross section in proton-proton collisions at $\sqrt{s}=5.02$ TeV,” JHEP **04** (2022), 144

- [90] A. Tumasyan *et al.* [CMS], “Evidence for WW/WZ vector boson scattering in the decay channel $\ell\nu qq$ produced in association with two jets in proton-proton collisions at $\sqrt{s}=13$ TeV,” *Phys. Lett. B* **834** (2022), 137438
- [91] A. Tumasyan *et al.* [CMS], “Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV,” *JHEP* **04** (2022), 047
- [92] A. Tumasyan *et al.* [CMS], “Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\sqrt{s}=13$ TeV,” *JHEP* **05** (2022), 005
- [93] A. Tumasyan *et al.* [CMS], “Measurements of the associated production of a W boson and a charm quark in proton-proton collisions at $\sqrt{s} = 8$ TeV,” *Eur. Phys. J. C* **82** (2022) no.12, 1094
- [94] A. Tumasyan *et al.* [CMS], “Measurement of $W^{\pm}\gamma$ differential cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV and effective field theory constraints,” *Phys. Rev. D* **105** (2022) no.5, 052003
- [95] A. Tumasyan *et al.* [CMS], “Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV,” *JHEP* **04** (2022), 087
- [96] A. Tumasyan *et al.* [CMS], “Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV,” *JHEP* **04** (2022), 048
- [97] A. Tumasyan *et al.* [CMS], “Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV,” *JHEP* **02** (2022), 142
- [98] A. Tumasyan *et al.* [CMS], “Strategies and performance of the CMS silicon tracker alignment during LHC Run 2,” *Nucl. Instrum. Meth. A* **1037** (2022), 166795 [arXiv:2111.08757 [physics.ins-det]].
- [99] A. Tumasyan *et al.* [CMS], “Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV,” *JHEP* **04** (2022), 091
- [100] A. Tumasyan *et al.* [CMS], “Observation of triple J/ψ meson production in proton-proton collisions at $\sqrt{s} = 13$ TeV,” [arXiv:2111.05370 [hep-ex]].
- [101] A. Tumasyan *et al.* [CMS], “Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV,” *JHEP* **03** (2022), 189

- [102] A. Tumasyan *et al.* [CMS], “Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV,” JHEP **02** (2022), 107
- [103] A. Tumasyan *et al.* [CMS], “A new calibration method for charm jet identification validated with proton-proton collision events at $\sqrt{s} = 13$ TeV,” JINST **17** (2022) no.03, P03014
- [104] A. Tumasyan *et al.* [CMS], “Search for Flavor-Changing Neutral Current Interactions of the Top Quark and Higgs Boson in Final States with Two Photons in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV,” Phys. Rev. Lett. **129** (2022) no.3, 032001
- [105] A. Tumasyan *et al.* [CMS], “Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV,” Eur. Phys. J. C **82** (2022) no.4, 290
- [106] A. Tumasyan *et al.* [CMS], “Search for long-lived particles produced in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV,” JHEP **03** (2022), 160
- [107] A. Tumasyan *et al.* [CMS], “Measurement of the inclusive and differential WZ production cross sections, polarization angles, and triple gauge couplings in pp collisions at $\sqrt{s} = 13$ TeV,” JHEP **07** (2022), 032
- [108] A. Tumasyan *et al.* [(TOTEM Collaboration) \ddagger , (CMS Collaboration) \dagger , TOTEM and CMS], “First Search for Exclusive Diphoton Production at High Mass with Tagged Protons in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV,” Phys. Rev. Lett. **129** (2022) no.1, 011801
- [109] A. Tumasyan *et al.* [CMS], “Analysis of the CP structure of the Yukawa coupling between the Higgs boson and τ leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV,” JHEP **06** (2022), 012
- [110] A. Tumasyan *et al.* [CMS], “Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at $\sqrt{s} = 13$ TeV,” Eur. Phys. J. C **82** (2022) no.2, 153
- [111] A. Tumasyan *et al.* [CMS], “Measurement of double-parton scattering in inclusive production of four jets with low transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV,” JHEP **01** (2022), 177
- [112] A. Tumasyan *et al.* [CMS], “Search for heavy resonances decaying to $Z(\nu\bar{\nu})V(q\bar{q}')$ in proton-proton collisions at $\sqrt{s} = 13$ TeV,” Phys. Rev. D **106** (2022) no.1, 012004
- [113] A. Tumasyan *et al.* [CMS], “Search for heavy resonances decaying to WW, WZ, or WH boson pairs in the lepton plus merged jet final state in proton-proton collisions

at $\sqrt{s} = 13$ TeV,” Phys. Rev. D **105** (2022) no.3, 032008

- [114] A. Tumasyan *et al.* [CMS], “Study of quark and gluon jet substructure in Z+jet and dijet events from pp collisions,” JHEP **01** (2022), 188
- [115] A. Tumasyan *et al.* [CMS], “Observation of Bs0 mesons and measurement of the Bs0/B+ yield ratio in PbPb collisions at Image 1 TeV,” Phys. Lett. B **829** (2022), 137062
- [116] A. Tumasyan *et al.* [CMS], “Measurement of the inclusive and differential Higgs boson production cross sections in the decay mode to a pair of τ leptons in pp collisions at $\sqrt{s} = 13$ TeV,” Phys. Rev. Lett. **128** (2022) no.8, 081805
- [117] A. Tumasyan *et al.* [CMS], “Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV,” JHEP **04** (2022), 147
- [118] A. Tumasyan *et al.* [CMS], “Fragmentation of jets containing a prompt J/ ψ meson in PbPb and pp collisions at $\sqrt{s_{NN}} = 5.02$ TeV,” Phys. Lett. B **825** (2022), 136842
- [119] A. Tumasyan *et al.* [CMS], “Search for $W\gamma$ resonances in proton-proton collisions at $\sqrt{s} = 13$ TeV using hadronic decays of Lorentz-boosted W bosons,” Phys. Lett. B **826** (2022), 136888
- [120] A. Tumasyan *et al.* [CMS], “Search for strongly interacting massive particles generating trackless jets in proton-proton collisions at $\sqrt{s} = 13$ TeV,” Eur. Phys. J. C **82** (2022) no.3, 213

TSU node

- [1] T. Supatashvili, M. Eliashvili and G. Tsitsishvili, “On the Wilson loops in 2D tight-binding models,”
PoS **Regio2021**, 021 (2022)
- [2] T. Supatashvili, M. Eliashvili and G. Tsitsishvili, “Group structure of Wilson loops in 2D tight-binding models with 2-band and 4-band energy spectra,”
Int. J. Mod. Phys. B **36**, no.28, 2250197 (2022) [arXiv:2108.06510 [cond-mat.mes-hall]].
- [3] T. Supatashvili, “Bogomolny equations from the Pseudoanalytic Functions Viewpoint,”
PoS **Regio2020**, 015 (2021)
- [4] R. Beradze and M. Gogberashvili, “LIGO signals from mirror world,”
PoS **Regio2021** (2022), 029

- [5] M. Gogberashvili, “Fixing cosmological constant on the event horizon,”
Eur. Phys. J. C **82** (2022) no.11, 1049
- [6] M. Gogberashvili, “Algebraical Entropy and Arrow of Time,”
Entropy **24** (2022), 1522 [arXiv:2211.00501 [physics.gen-ph]].
- [7] M. Gogberashvili, “Towards an information description of space-time,”
Found. Phys. **52** (2022), 74 [arXiv:2208.13738 [physics.gen-ph]].
- [8] M. Gogberashvili, “Symmetries of the entropy balance condition for the universe,”
PoS **Regio2021** (2022), 017
- [9] M. Gogberashvili, “ $(2 + 1)$ -Maxwell Equations in Split Quaternions,”
MDPI Physics **4** (2022) no.1, 329-363
- [10] M. Gogberashvili and B. Modrekiladze, “Probing the Information-Probabilistic Description,”
Int. J. Theor. Phys. **61** (2022) no.5, 149 [arXiv:2105.05034 [gr-qc]].
- [11] M. Abuladze, R. Hetzel, J. Kasper, R. Shanidze and A. Stahl, “Study of Prompt Gamma emission in $^{12}\text{C}(p, p'\gamma)^{12}\text{C}$ nuclear reactions close to a Bragg Peak,” PoS **Regio2021** (2022), 033
- [12] G. Lavrelashvili and J. L. Lehnert, “Scalar lumps with two horizons,”
Phys. Rev. D **105** (2022) no.2, 024051 [arXiv:2109.04180 [gr-qc]].
- [13] G. Papalashvili *et al.* [KM3NeT], ”The KM3NeT project and Tier2 computing at Tbilisi State University,”
PoS **Regio2021** (2022), 006
- [14] S. Aiello, ..., G. Papalashvili, ..., R. Shanidze *et al.* [KM3NeT], ”The KM3NeT multi-PMT optical module,”
JINST **17** (2022) no.07, P07038 [arXiv:2203.10048 [astro-ph.IM]].
- [15] S. Aiello, ..., G. Papalashvili, ..., R. Shanidze *et al.* [KM3NeT], ”Nanobeacon: A time calibration device for the KM3NeT neutrino telescope,”
Nucl. Instrum. Meth. A **1040** (2022), 167132 [arXiv:2111.00223 [astro-ph.IM]].
- [16] S. Aiello, ..., G. Papalashvili, ..., R. Shanidze *et al.* [KM3NeT], ”Implementation and first results of the KM3NeT real-time core-collapse supernova neutrino search,”
Eur. Phys. J. C **82** (2022) no.4, 317 [arXiv:2109.05890 [astro-ph.HE]].

- [17] S. Aiello, ..., G. Papalashvili, ..., R. Shanidze *et al.* [KM3NeT and JUNO], "Combined sensitivity of JUNO and KM3NeT/ORCA to the neutrino mass ordering," JHEP **03** (2022), 055 [arXiv:2108.06293 [hep-ex]].
- [18] S. Aiello, ..., G. Papalashvili, ..., R. Shanidze *et al.* [KM3NeT], "Determining the neutrino mass ordering and oscillation parameters with KM3NeT/ORCA,"
- [19] T. Zakareishvili, "Charmonium production in pp collisions at the LHC," PoS **Regio2021**, 004 (2022)
- [20] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Study of $B_c^+ \rightarrow J/\psi D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^{*+}$ decays in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," JHEP **08**, 087 (2022) [arXiv:2203.01808 [hep-ex]].
- [21] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for neutral long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter," JHEP **06**, 005 (2022) [arXiv:2203.01009 [hep-ex]].
- [22] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for events with a pair of displaced vertices from long-lived neutral particles decaying into hadronic jets in the ATLAS muon spectrometer in pp collisions at $\sqrt{s}=13$ TeV," Phys. Rev. D **106**, no.3, 032005 (2022) [arXiv:2203.00587 [hep-ex]].
- [23] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurements of jet observables sensitive to b-quark fragmentation in tt events at the LHC with the ATLAS detector," Phys. Rev. D **106**, no.3, 032008 (2022) [arXiv:2202.13901 [hep-ex]].
- [24] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurements of differential cross-sections in top-quark pair events with a high transverse momentum top quark and limits on beyond the Standard Model contributions to top-quark pair production with the ATLAS detector at $\sqrt{s} = 13$ TeV," JHEP **06**, 063 (2022) [arXiv:2202.12134 [hep-ex]].
- [25] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurement of the polarisation of single top quarks and antiquarks produced in the t-channel at $\sqrt{s} = 13$ TeV and bounds on the tWb dipole operator from the ATLAS experiment," JHEP **11**, 040 (2022) [arXiv:2202.11382 [hep-ex]].
- [26] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for invisible Higgs-boson decays in events with vector-boson fusion signatures using 139 fb^{-1} of proton-proton data recorded by the ATLAS experiment," JHEP **08**, 104 (2022) [arXiv:2202.07953 [hep-ex]].

- [27] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for resonant pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," Phys. Rev. D **105**, no.9, 092002 (2022) [arXiv:2202.07288 [hep-ex]].
- [28] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for type-III seesaw heavy leptons in leptonic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," Eur. Phys. J. C **82**, no.11, 988 (2022) [arXiv:2202.02039 [hep-ex]].
- [29] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Two-particle Bose–Einstein correlations in pp collisions at $\sqrt{s} = 13$ TeV measured with the ATLAS detector at the LHC," Eur. Phys. J. C **82**, no.7, 608 (2022) [arXiv:2202.02218 [hep-ex]].
- [30] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurements of the Higgs boson inclusive and differential fiducial cross-sections in the diphoton decay channel with pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," JHEP **08**, 027 (2022) [arXiv:2202.00487 [hep-ex]].
- [31] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Observation of WWW Production in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector," Phys. Rev. Lett. **129**, no.6, 061803 (2022) [arXiv:2201.13045 [hep-ex]].
- [32] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Direct constraint on the Higgs-charm coupling from a search for Higgs boson decays into charm quarks with the ATLAS detector," Eur. Phys. J. C **82**, 717 (2022) [arXiv:2201.11428 [hep-ex]].
- [33] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurements of Higgs boson production cross-sections in the $H \rightarrow \tau^+\tau^-$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," JHEP **08**, 175 (2022) [arXiv:2201.08269 [hep-ex]].
- [34] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for single production of a vectorlike T quark decaying into a Higgs boson and top quark with fully hadronic final states using the ATLAS detector," Phys. Rev. D **105**, no.9, 092012 (2022) [arXiv:2201.07045 [hep-ex]].
- [35] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for long-lived charginos based on a disappearing-track signature using 136 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector," Eur. Phys. J. C **82**, no.7, 606 (2022) [arXiv:2201.02472 [hep-ex]].
- [36] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for Higgs boson pair production in the two bottom quarks plus two photons final

- state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Phys. Rev. D* **106**, no.5, 052001 (2022) [arXiv:2112.11876 [hep-ex]].
- [37] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV,” *Eur. Phys. J. C* **82**, no.5, 438 (2022) [arXiv:2112.11266 [hep-ex]].
 - [38] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Modelling and computational improvements to the simulation of single vector-boson plus jet processes for the ATLAS experiment,” *JHEP* **08**, 089 (2022) [arXiv:2112.09588 [hep-ex]].
 - [39] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”A search for an unexpected asymmetry in the production of $e^+\mu^-$ and $e^-\mu^+$ pairs in proton-proton collisions recorded by the ATLAS detector at $s=13$ TeV,” *Phys. Lett. B* **830**, 137106 (2022) [arXiv:2112.08090 [hep-ex]].
 - [40] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *Eur. Phys. J. C* **82**, no.4, 334 (2022) [arXiv:2112.01302 [hep-ex]].
 - [41] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $\sqrt{s}=13$ TeV with the ATLAS detector,” *Phys. Lett. B* **829**, 137066 (2022) [arXiv:2111.08372 [hep-ex]].
 - [42] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Constraints on Higgs boson production with large transverse momentum using $H \rightarrow b\bar{b}$ decays in the ATLAS detector,” *Phys. Rev. D* **105**, no.9, 092003 (2022) [arXiv:2111.08340 [hep-ex]].
 - [43] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Measurements of azimuthal anisotropies of jet production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector,” *Phys. Rev. C* **105**, no.6, 064903 (2022) [arXiv:2111.06606 [nucl-ex]].
 - [44] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Measurement of Higgs boson decay into b -quarks in associated production with a top-quark pair in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,” *JHEP* **06**, 097 (2022) [arXiv:2111.06712 [hep-ex]].
 - [45] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final

- states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$,” JHEP **03**, 041 (2022) [arXiv:2110.13673 [hep-ex]].
- [46] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Measurement of the energy asymmetry in $t\bar{t}j$ production at 13 TeV with the ATLAS experiment and interpretation in the SMEFT framework,” Eur. Phys. J. C **82**, no.4, 374 (2022) [arXiv:2110.05453 [hep-ex]].
 - [47] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for Higgs boson decays into a pair of pseudoscalar particles in the $b\bar{b}\mu\mu$ final state with the ATLAS detector in pp collisions at $\sqrt{s}=13 \text{ TeV}$,” Phys. Rev. D **105**, no.1, 012006 (2022) [arXiv:2110.00313 [hep-ex]].
 - [48] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Constraints on Higgs boson properties using $WW^*(\rightarrow e\nu\mu\nu)jj$ production in 36.1 fb^{-1} of $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector,” Eur. Phys. J. C **82**, no.7, 622 (2022) [arXiv:2109.13808 [hep-ex]].
 - [49] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 13 \text{ TeV}$ collected with the ATLAS detector,” Eur. Phys. J. C **82**, no.1, 95 (2022) [arXiv:2109.10627 [hep-ex]].
 - [50] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector,” JHEP **01**, 063 (2022) [arXiv:2109.02447 [hep-ex]].
 - [51] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Operation and performance of the ATLAS semiconductor tracker in LHC Run 2,” JINST **17**, no.01, P01013 (2022) [arXiv:2109.02591 [physics.ins-det]].
 - [52] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”AtlFast3: the next generation of fast simulation in ATLAS,” Comput. Softw. Big Sci. **6**, 7 (2022) [arXiv:2109.02551 [hep-ex]].
 - [53] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector,” Eur. Phys. J. C **82**, no.2, 105 (2022) [arXiv:2109.00925 [hep-ex]].
 - [54] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], ”Measurement of the nuclear modification factor for muons from charm and bottom hadrons in Pb+Pb collisions at 5.02 TeV with the ATLAS detector,” Phys. Lett. B **829**, 137077 (2022) [arXiv:2109.00411 [nucl-ex]].

- [55] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for heavy particles in the b -tagged dijet mass distribution with additional b -tagged jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment," Phys. Rev. D **105**, no.1, 012001 (2022) [arXiv:2108.09059 [hep-ex]].
- [56] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^\pm \rightarrow \tau^\pm(\rightarrow \pi^\pm \nu_\tau)\nu_\tau$ events in Run 2 data," Eur. Phys. J. C **82**, no.3, 223 (2022) [arXiv:2108.09043 [hep-ex]].
- [57] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2," Eur. Phys. J. C **82**, no.3, 206 (2022) [arXiv:2107.02485 [hep-ex]].
- [58] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for new phenomena in three- or four-lepton events in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector," Phys. Lett. B **824**, 136832 (2022) [arXiv:2107.00404 [hep-ex]].
- [59] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Search for lepton-flavor-violation in Z -boson decays with τ -leptons with the ATLAS detector," Phys. Rev. Lett. **127**, 271801 (2022) [arXiv:2105.12491 [hep-ex]].
- [60] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Performance of the ATLAS Level-1 topological trigger in Run 2," Eur. Phys. J. C **82**, no.1, 7 (2022) [arXiv:2105.01416 [hep-ex]].
- [61] G. Aad, ..., A. Durglishvili, T. Djobava, T. Zakareishvili *et al.* [ATLAS], "Emulating the impact of additional proton-proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events," Comput. Softw. Big Sci. **6**, no.1, 3 (2022) [arXiv:2102.09495 [hep-ex]].